

SAMPLE-1 -

Project Name:		
Architect:	Estimator:	
Engineer:	Creation Date: 23-06-2020	
Customer:	Last Modified: 28-10-2020	
	Status: Complete	
Job Type: Lump Sum	Escalation: No	

Cover Page Comments:

Drawing References:

Segment Summary					
Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
Included Segments:					
MAIN BUILDING	603,534	0	0	603,534	No
FDNS/DWLS	116,412	0	0	116,412	No
SLAB ON GRADE	6,331	0	0	6,331	No
CIP COLUMNS	83,965	0	0	83,965	No
CIP SHEAR WALLS	182,007	0	0	182,007	No
CIP WALLS	16,787	0	0	16,787	No
CIP STAIRS	37,496	0	0	37,496	No
MASONRY WALL	44,870	0	0	44,870	No
ELEVATED DECKS	97,588	0	0	97,588	No
CIP BEAMS	18,078	0	0	18,078	No
SITE WORKS	0	0	0	0	No
CONCRETE PAVEMENT	0	0	0	0	No

SAMPLE-1 -

Estimate Defaults

Size Unit: Imperial	Building Code: ACI 1983
Length Unit: Feet - Inches	Concrete Strength: 3000
Weight Unit: Pounds	Lap Table:
Soft Hooks: No	Estimating Lap: 48D
Seismic Hooks: No	Steel Manufactured In: ANY
	Tie Clearance: 0-012
	Spiral Clearance: 0-03
	Spacing Tolerance: 0-00
Rebar Coating: Black	Rebar Grade: 60
Plain Coating: Black	Plain Grade: 60
Number of lap lengths to extend a stock bar before lapping: 1	

Background

Locations	
Estimating: IND - Info@rddsindia.com	Estimator:
Detailing: IND - Info@rddsindia.com	Detailer:
Fabricating: IND - Info@rddsindia.com	Salesperson:
Sales: IND - Info@rddsindia.com	
Det: IND - Info@rddsindia.com	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1	GI	Segment: MAIN BUILDING Sub-Segment: FDNS/DWLS User Dfnd: CAST IN PLACE																		
2	MT	S200 FOUNDATION FRAMING PLAN																		
3	MT	PILE CAP-1PC (3'-4"X3'-4"X3'-6"DP) 16LOCS																		
4	TR	BF		60	5			16*2	19/6	S	2-10							681	5 #6 B EW	
5	TR	BF		60	4			16	13/4	H	1-06	2-05	1-06	2-05	1-06			399	4 #4 STANDS	
6	MT	2PC (6'-8"X3'-4"X3'-6") 9LOCS																		
7	TR	BF		60	8			9	25/8	S	2-10							545	8 #8 B SW	
8	TR	BF		60	6			9	25/8	H	6-02	S90	S90					1,273	6 #8 B LW	
9	TR	BF		60	4			9	13/4	H	1-06	2-05	1-06	2-05	1-06			224	4 #4 STANDS	
10	MT	4PC (6'-8"X6'-8"X3'-6") 3LOCS																		
11	TR	BF		60	12			3*2	25/8	H	6-02	S90	S90					1,698	12 #8 B EW	
12	TR	BF		60	4			3	13/4	H	1-06	2-05	1-06	2-05	1-06			75	4 #4 STANDS	
13	MT	5PC (8'-2"X8'-2"X3'-6") 5LOCS																		
14	TR	BF		60	15			5*2	25/8	H	7-08	S90	S90					4,138	15 #8 B EW	
15	TR	BF		60	4			5	13/4	H	1-06	2-05	1-06	2-05	1-06			125	4 #4 STANDS	
16	MT	6PC (10'-0"X6'-8"X3'-6") 6LOCS																		
17	TR	BF		60	5			6*3	25/8	H	6-02	S90	S90					2,122	3BANDS 5 #8 B SW	
18	TR	BF		60	5			6	25/8	H	9-06	S90	S90					974	5 #8 B LW	
19	TR	BF		60	4			6	13/4	H	1-06	2-05	1-06	2-05	1-06			150	4 #4 STANDS	
20	MT	SHEAR WALL #1 PILE CAP (36PC)																		
21	TR	LS		60		15-00	1-00		32/10	H	36-04	S90	S90		0	6-07	30-00	3,207	#10 @12" B LW	
22	TR	BF		60		36-04	1-00		25/8	H	15-00	2S90						1,793	#8 @12" B SW	
23	TR	LS		60		15-00	0-08	2	32/10	H	36-04	S90	S90		0	8-06	30-00	10,018	#10 @8" T LW 2LAY	
24	TR	BF		60		36-04	1-00		25/8	H	15-00	2S90						1,793	#8 @12" T SW	
25	TR	BF		60	24				16/5	H	1-06	3-111	1-06	3-111	1-06			310	#5 @48" STANDS	
26	MT	SHEAR WALL #2 PILE CAP (27PC)																		
27	TR	LS		60		15-00	1-00		36/11	H	29-08				0	7-03	30-00	2,522	#11 @12" B LW	
28	TR	BF		60		29-08	1-00		25/8	H	15-00	2S90						1,462	#8 @12" B SW	
29	TR	LS		60		15-00	0-08	2	36/11	H	29-08	S90	S90		0	9-05	30-00	10,987	#11 @8" T LW 2LAY	
30	TR	BF		60		29-08	1-00		25/8	H	15-00	2S90						1,462	#8 @12" T SW	
31	TR	BF		60	18				16/5	H	1-06	3-111	1-06	3-111	1-06			232	#5 @48" STANDS	
32	MT	SHEAR WALL #3 PILE CAP (28PC)																		
33	TR	LS		60		15-00	1-00		32/10	H	36-04	S90	S90		0	6-07	30-00	3,207	#10 @12" B LW	
34	TR	BF		60		36-04	1-00		25/8	H	15-00	2S90						1,793	#8 @12" B SW	
35	TR	LS		60		15-00	0-08	2	32/10	H	36-04	S90	S90		0	8-06	30-00	10,018	#10 @8" T LW 2LAY	
36	TR	BF		60		36-04	1-00		25/8	H	15-00	2S90						1,793	#8 @12" T SW	
37	TR	BF		60	24				16/5	H	1-06	3-111	1-06	3-111	1-06			310	#5 @48" STANDS	
38	MT	ST-1 (16X24)																		
39	TR	BF		60	3			2	19/6	H	18-10	2S90						188	3 #6 T&B CONT	
40	TR	BF		60		1-00	1-00	2	13/4	H	18-10	2S90						54	#4 @12" H EF FACE	
41	TR	TA		60		14-06	1-00		10/3	L	1-04	2-00		0-012	0			38	#3 @12" STRIPS	
42	MT	ST-1 (16X24)																		
43	TR	BF		60	3			2	19/6	H	14-06	2S90						149	3 #6 T&B CONT	
44	TR	BF		60		1-00	1-00	2	13/4	H	14-06	2S90						42	#4 @12" H EF FACE	
45	TR	TA		60		10-09	1-00		10/3	L	1-04	2-00		0-012	0			29	#3 @12" STRIPS	
46	MT	ST-1 (16X24) 8LOCS																		
47	TR	BF		60	3			8*2	19/6	H	19-00	2S90						1,514	3 #6 T&B CONT	
48	TR	BF		60		1-00	1-00	8*2	13/4	H	19-00	2S90						435	#4 @12" H EF FACE	
49	TR	TA		60		15-00	1-00	8	10/3	L	1-04	2-00		0-012	0			305	#3 @12" STRIPS	
50	MT	ST-1 (16X24)																		
51	TR	BF		60	3			2	19/6	H	18-09	2S90						187	3 #6 T&B CONT	
52	TR	BF		60		1-00	1-00	2	13/4	H	18-09	2S90						54	#4 @12" H EF FACE	
53	TR	TA		60		14-08	1-00		10/3	L	1-04	2-00		0-012	0			38	#3 @12" STRIPS	
54	MT	ST-1 (16X24)																		
55	TR	BF		60	3			2	19/6	H	10-07	2S90						113	3 #6 T&B CONT	
56	TR	BF		60		1-00	1-00	2	13/4	H	10-07	2S90						32	#4 @12" H EF FACE	
57	TR	TA		60		10-07	1-00		10/3	L	1-04	2-00		0-012	0			29	#3 @12" STRIPS	
58	MT	GB-1 (18X24) 2LOCS																		
59	TR	BF		60	4			2*2	19/6	H	23-06	2S90						613	4 #6 T&B CONT	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spocg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
60	TR	BF		60		1-00	1-00	2*2	13/4	H	23-06	2S90						133	#4 @12" H EF FACE
61	TR	TA		60		23-06	0-09	2	10/3	L	1-06	2-00		0-012	0			166	#3 @9" STRIPS
62	MT	GB-1 (18X24)																	
63	TR	LS		60	4				19/6	H	60-05				0	4-00	30-00	411	4 #6 T CONT
64	TR	LS		60	4				19/6	H	60-05				0	3-01	30-00	400	4 #6 B CONT
65	TR	LS		60		1-00	1-00	2	13/4	S	60-05				0	2-01	30-00	173	#4 @12" H EF FACE
66	TR	TA		60		60-05	0-09		10/3	L	1-06	2-00		0-012	0			206	#3 @9" STRIPS
67	MT	GB-1 (18X24)																	
68	TR	LS		60	4				19/6	H	70-09				0	4-00	30-00	473	4 #6 T CONT
69	TR	LS		60	4				19/6	H	70-09				0	3-01	30-00	462	4 #6 B CONT
70	TR	LS		60		1-00	1-00	2	13/4	S	70-09				0	2-01	30-00	200	#4 @12" H EF FACE
71	TR	TA		60		70-09	0-09		10/3	L	1-06	2-00		0-012	0			241	#3 @9" STRIPS
72	MT	GB-1 (18X24)																	
73	TR	BF		60	4				19/6	S	245-00	4-00	36-00					1,712	4 #6 T CONT
74	TR	BF		60	4				19/6	S	245-00	3-01	27-09					1,657	4 #6 B CONT
75	TR	BF		60		1-00	1-00	2	13/4	S	245-00	2-01	18-09					710	#4 @12" H EF FACE
76	TR	TA		60		245-00	0-09		10/3	L	1-06	2-00		0-012	0			823	#3 @9" STRIPS
77	MT	GB-1 (18X24) 2LOCS																	
78	TR	BF		60	4			2	19/6	S	31-02	4-00						423	4 #6 T CONT
79	TR	BF		60	4			2	19/6	S	31-02	3-01						412	4 #6 B CONT
80	TR	BF		60		1-00	1-00	2*2	13/4	S	31-02	2-01						178	#4 @12" H EF FACE
81	TR	TA		60		31-02	0-09	2	10/3	L	1-06	2-00		0-012	0			216	#3 @9" STRIPS
82	MT	GB-1 (18X24)																	
83	TR	BF		60	4				19/6	S	210-00	4-00	32-00					1,478	4 #6 T CONT
84	TR	BF		60	4				19/6	S	210-00	3-01	24-073					1,428	4 #6 B CONT
85	TR	BF		60		1-00	1-00	2	13/4	S	210-00	2-01	16-073					611	#4 @12" H EF FACE
86	TR	TA		60		210-00	0-09		10/3	L	1-06	2-00		0-012	0			705	#3 @9" STRIPS
87	MT	GB-2 (24"X48") 3LOCS																	
88	TR	BF		60	6			3*2	29/9	H	23-08	2S90						3,284	6 #9 T&B CONT
89	TR	BF		60		3-00	1-00	2*3	13/4	H	23-08	2S90						401	#4 @12" H EF FACE
90	TR	TA		60		23-08	0-10	3	10/3	L	2-00	4-00		0-012	0			395	#3 @10" STRIPS
91	TR	BF		60		23-08	0-10	3*2	10/3	L	3-09	2S180						310	#3 @10" LINKS
92	MT	GB-2 (24"X48")																	
93	TR	BF		60	6				29/9	H	48-00	7-07	7-07	2S90				1,353	6 #9 T CONT
94	TR	BF		60	6				29/9	H	48-00	5-10	5-10	2S90				1,282	6 #9 B CONT
95	TR	BF		60		3-00	1-00	2	13/4	H	48-00	2-01	2-01	2S90				286	#4 @12" H EF FACE
96	TR	TA		60		48-00	0-10		10/3	L	2-00	4-00		0-012	0			259	#3 @10" STRIPS
97	TR	BF		60		48-00	0-10	2	10/3	L	3-09	2S180						203	#3 @10" LINKS
98	MT	8" THICK SLAB																	
99	TR	BF		60		23-08	1-00		16/5	S	30-00							782	#5 @12" B LW
100	TR	BF		60		30-00	1-00		16/5	S	22-06							727	#5 @12" B SW
101	TR	BF		60		23-08	1-00		16/5	H	30-00	2S90						826	#5 @12" T LW
102	TR	BF		60		30-00	1-00		16/5	H	22-06	2S90						781	#5 @12" T SW
103	MT	COLUMN DWLS (REF-S301)																	
104	MT	COL-1 (20"x28")																	
105	TR	BF		60	14				32/10	H	S90	6-06						502	14 #10 DWLS
106	MT	COL-3 (24"x24")																	
107	TR	BF		60	6				32/10	H	S90	6-06						215	6 #10 DWLS
108	MT	COL-4 (20"x28")																	
109	TR	BF		60	14				32/10	H	S90	6-06						502	14 #10 DWLS
110	MT	COL-5 (22"x30")																	
111	TR	BF		60	14				32/10	H	S90	6-06						502	14 #10 DWLS
112	MT	COL-6,7 (22"x30")																	
113	TR	BF		60	14			2	32/10	H	S90	6-06						1,004	14 #10 DWLS
114	MT	COL-8 (22"x30")																	
115	TR	BF		60	14				32/10	H	S90	6-06						502	14 #10 DWLS
116	MT	COL-9 (22"x30")																	
117	TR	BF		60	12				32/10	H	S90	6-06						430	12 #10 DWLS
118	MT	COL-12 (22"x30")																	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spocg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
119	TR	BF		60	14				32/10	H	S90	6-06						502	14 #10 DWLS	
120	MT	COL-13 (20"x28")																		
121	TR	BF		60	12				32/10	H	S90	6-06						430	12 #10 DWLS	
122	MT	COL-14 & 15 (24"x24")																		
123	TR	BF		60	6			2	29/9	H	S90	6-01						313	6 #9 DWLS	
124	MT	COL-16 (20"x28")																		
125	TR	BF		60	14				32/10	H	S90	6-06						502	14 #10 DWLS	
126	MT	COL-100,111,118,119,120 & 123 (24"x24") (6 LOC)																		
127	TR	BF		60	4			5	36/11	H	S90	6-10						939	4 #11 DWLS	
128	MT	COL-101,106 & 107 (16"x24") (3 LOC)																		
129	TR	BF		60	4			3	29/9	H	S90	6-01						313	4 #9 DWLS	
130	MT	COL-102 (16"x60")																		
131	TR	BF		60	10				29/9	H	S90	6-01						261	10 #9 DWLS	
132	MT	COL-104,105,109 & 110 (12"x18") (4 LOC)																		
133	TR	BF		60	4			4	25/8	H	S90	5-09						303	4 #8 DWLS	
134	MT	COL-108,112,113,114,115,116,117,121 & 122 (16"x16") (9 LOC)																		
135	TR	BF		60	4			9	25/8	H	S90	5-09						681	4 #8 DWLS	
136	MT	COL-124,125,126,127,128 & 129 (16"x16") (6 LOC)																		
137	TR	BF		60	4			6	25/8	H	S90	5-09						454	4 #8 DWLS	
138	MT	SHEAR WALL DWLS																		
139	MT	(SW #1) FDN - LVL 2																		
140	MT	STRIP-A (2 LOCS)																		
141	TR	BF		60	5			2*2	22/7	H	S90	11-05						514	5 #7 DWLS EF	
142	MT	STRIP-B																		
143	TR	BF		60		60-00	1-00	2	16/5	H	S90	8-082						1,214	#5 @12" DWLS EF	
144	MT	STRIP-C (2 LOCS)																		
145	TR	BF		60	4			2*2	22/7	H	S90	11-05						412	4 #7 DWLS EF	
146	MT	SHEAR WALL (SW #2)																		
147	MT	FDN - LVL 2																		
148	MT	STRIP-A (4 LOCS)																		
149	TR	BF		60	4			2*4	25/8	H	S90	12-06						1,182	4 #8 DWLS EF	
150	MT	STRIP-B																		
151	TR	BF		60		18-043	1-00	2	16/5	H	S90	8-082						398	#5 @12" DWLS EF	
152	MT	STRIP-C (2 LOCS)																		
153	TR	BF		60	2			2*2	22/7	H	S90	11-05						206	2 #7 DWLS EF	
154	MT	SHEAR WALL (SW #3)																		
155	MT	FDN - LVL 2																		
156	MT	STRIP-A (4 LOCS)																		
157	TR	BF		60	4			2*4	32/10	H	S90	14-062						2,255	4 #10 DWLS EF	
158	MT	STRIP-B																		
159	TR	BF		60		63-00	1-00	2	16/5	H	S90	8-082						1,274	#5 @12" DWLS EF	
160	MT	CONCRETE WALL DWLS.																		
161	MT	8" CIP CONCRETE WALL																		
162	MT	T/GB:-5'-8" TO T/SOG:0'-0"																		
163	TR	BF		60		228-00	1-00		16/5	H	S90	4-04						1,234	#5 @12" DWLS	
164	MT	8" CIP CONCRETE WALL (GB-1)																		
165	MT	T/GB:-5'-0" TO T/SOG:0'-0"																		
166	TR	BF		60		29-06	1-00	2	16/5	H	S90	4-04						334	#5 @12" DWLS	
167	MT	8" CIP CONCRETE WALL (GB-2)																		
168	MT	FOUNDATIO TO 2ND FLOOR																		
169	TR	BF		60		22-00	1-00	3	16/5	H	S90	6-03						510	#5 @12" DWLS	
170	MT	8" THICK CIP STAIR WALL (REF: S-200) (2 LOC)																		
171	TR	BF		60		5-06	1-00	2	16/5	H	S90	5-06						92	#5 @12" DWL.	
172	MT	MASONRY WALL DWLS. (8" THICK) (REF: S-100, S-102)																		
173	MT	FOUNDATION TO 2ND FLOOR (REF: S-200, S201, S-202)																		
174	TR	BF		60		190-09	1-04		19/6	H	S90	4-08						1,234	#6 @16" DWL.	
175	TR	BF		60	1			56	19/6	H	S90	4-08						477	1 #6 JAMB DWL.	
176	TR	BF		60		230-03	1-04		19/6	H	S90	4-03						1,372	#6 @16" D/V BLW	
177	MT	8" CIP CONCRETE WALL																		

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
178	MT	T/GB:-5'-8" TO T/SOG:0'-0"																		
179	TR	BF		60		228-00	1-00		16/5	S	5-02							1,234	#5 @12" V	
180	TR	LS		60		5-02	1-00		16/5	S	228-00				0	3-04	30-00	1,859	#5 @12" H	
181	TR	BF		60		5-02	1-00	4	16/5	H	2-07	2-07						151	#5 @12" H COR	
182	MT	8" CIP CONCRETE WALL (GB-1)																		
183	MT	T/GB:-5'-0" TO T/SOG:0'-0"																		
184	TR	BF		60		29-06	1-00	2	16/5	S	4-10							313	#5 @12" V	
185	TR	LS		60		4-08	1-00	2	16/5	S	29-06				0	3-04	30-00	369	#5 @12" H	
186	TR	BF		60		4-08	1-00	6	16/5	H	2-06	2-06						188	#5 @12" H COR	
187	GI	Segment: MAIN BUILDING Sub-Segment: SLAB ON GRADE User Dfnd: SLAB																		
188	MT	S201 GROUND FLOOR FRAMING PLAN																		
189	MT	4" & 5" SLAB ON GRADE																		
190	MT	TS-1 THICKENED SLAB																		
191	TR	LS		60	2				16/5	S	64-06				0	2-07	30-00	145	2 #5 B CONT.	
192	TR	BF		60	2				16/5	S	2-07	2-07						11	2 #5 B COR	
193	MT	TS-1 THICKENED SLAB																		
194	TR	LS		60	2				16/5	S	76-09				0	2-07	30-00	171	2 #5 B CONT.	
195	TR	BF		60	2			3	16/5	S	2-07	2-07						32	2 #5 B COR	
196	MT	TS-1 THICKENED SLAB																		
197	TR	LS		60	2				16/5	S	41-06				0	2-07	30-00	92	2 #5 B CONT.	
198	TR	BF		60	2				16/5	S	2-07	2-07						11	2 #5 B COR	
199	MT	TS-1 THICKENED SLAB																		
200	TR	BF		60	2				16/5	S	8-00							17	2 #5 B CONT.	
201	MT	TS-1 THICKENED SLAB																		
202	TR	BF		60	2				16/5	S	29-06							62	2 #5 B CONT.	
203	TR	BF		60	2				16/5	S	10-06							22	2 #5 B CONT.	
204	MT	SEC-A/S201 (SLAB STEP)																		
205	TR	BF		60	3				16/5	S	39-09	2-07						132	3 #5 CONT	
206	MT	TE-1																		
207	TR	BF		60	2				16/5	S	6-02							13	2 #5 B CONT.	
208	TR	BF		60	2				16/5	S	6-00							13	2 #5 B CONT.	
209	TR	BF		60	2			8	16/5	S	3-05							57	2 #5 B CONT.	
210	TR	BF		60	2				16/5	S	10-00							21	2 #5 B CONT.	
211	TR	BF		60	2			2	16/5	S	8-00							33	2 #5 B CONT.	
212	TR	BF		60	2				16/5	S	8-06							18	2 #5 B CONT.	
213	MT	TE-2																		
214	TR	BF		60	2			2	16/5	S	12-01							50	2 #5 B CONT.	
215	TR	BF		60	1			2	16/5	S	12-01							25	1 #5 T CONT	
216	TI	SqFt		16300						6x6-W2.9xW2.9 WWF								0		
217	TI	Pcs		940						2" DOBBIES								0		
218	TI	Pcs		81						2 1/2" DOBBIES								0		
219	MT	8" THICK CIP STAIR WALL (REF: S-200) (2 LOC)																		
220	TR	BF		60		5-06	1-00	2	16/5	H	7-00	S90						114	#5 @12" V	
221	TR	BF		60		6-08	1-00	2	16/5	S	5-02							86	#5 @12" H	
222	MT	8" CONCRETE VAULT COVER SLAB																		
223	TR	BF		60		59-09	1-00		16/5	S	22-09							1,447	#5 @12" B SW	
224	TR	BF		60		22-09	1-06		13/4	S	59-09	2-01						702	#4 @18" B LW	
225	TR	BF		60		59-09	1-00		16/5	H	22-09	2S90						1,553	#5 @12" T SW	
226	TR	BF		60		22-09	1-06		13/4	H	59-09	2-01	2S90					717	#4 @18" T LW	
227	MT	MASONRY WALL DWLS. (8" THICK) (REF: S-100, S-102)																		
228	MT	SOG TO 2ND FLOOR																		
229	TR	BF		60		120-00	4-00		16/5	H	S90	3-00						124	#5 @48" DWL	
230	TR	BF		60	1			6	16/5	H	S90	3-00						24	1 #5 COR DWL	
231	TR	BF		60	1			3	16/5	H	S90	3-00						12	1 #5 END DWL	
232	TR	BF		60		107-02	1-04		19/6	H	S90	3-09						585	#6 @16" DWL	
233	TR	BF		60	1			3	19/6	H	S90	3-09						21	1 #6 COR DWL	
234	TR	BF		60	1			3	19/6	H	S90	3-09						21	1 #6 JAMB DWL	
235	GI	Segment: MAIN BUILDING Sub-Segment: CIP COLUMNS User Dfnd: CAST IN PLACE																		
236	MT	COL VERT.																		

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
237	MT	COL-1 (20"x28")																	
238	MT	FDN - LVL 2																	
239	TR	CV		60	14				32/10	H	17-00					30D		1,220	14 #10 V
240	TR	BF		60		16-04	1-06		10/3	L	2S180	1-05	2-01	1-05	2-01			35	#3 TIES @18"
241	TR	BF		60	3				10/3	L	2S180	1-05	2-01	1-05	2-01			9	3 #3 TIES @TOP
242	TR	BF		60	3				10/3	L	S180	1-05	S90					2	3 #3 T LINKS
243	TR	BF		60		16-04	1-06	2	10/3	L	S180	1-05	S90					20	#3 LINKS @18"
244	MT	COL-1 (16"x28")																	
245	MT	LVL 2-3																	
246	TR	CV		60	14				29/9	H	11-04					30D		674	14 #9 V
247	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-01	1-01	2-01			24	#3 TIES @16"
248	TR	BF		60	3				10/3	L	2S180	1-01	2-01	1-01	2-01			8	3 #3 TIES @ TOP
249	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
250	TR	BF		60		10-08	1-04	2	10/3	L	S180	1-01	S90					12	#3 LINKS @16"
251	MT	COL-1 (14"x28")																	
252	MT	LVL 3-4																	
253	TR	CV		60	14				29/9	H	10-08					30D		643	14 #9 V
254	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
255	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
256	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
257	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"
258	MT	LVL 4-5																	
259	TR	CV		60	12				29/9	H	10-08					30D		551	12 #9 V
260	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
261	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
262	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
263	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"
264	MT	LVL 5-6																	
265	TR	CV		60	10				25/8	H	10-08					30D		352	10 #8 V
266	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
267	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
268	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
269	TR	BF		60		10-00	1-04		10/3	L	S180	0-11	S90					6	#3 LINKS @14"
270	MT	LVL 6-7																	
271	TR	CV		60	8				25/8	H	10-08					30D		281	8 #8 V
272	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
273	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
274	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
275	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"
276	MT	LVL 7-10 (3 LVLS)																	
277	TR	CV		60	6			3	25/8	H	10-08					30D		633	6 #8 V
278	TR	BF		60		10-00	1-02	3	10/3	L	2S180	0-11	2-01	0-11	2-01			77	#3 TIES @14"
279	TR	BF		60	3			3	10/3	L	2S180	0-11	2-01	0-11	2-01			23	3 #3 TIES @TOP
280	TR	BF		60	3			3	10/3	L	S180	0-11	S90					6	3 #3 T LINKS
281	TR	BF		60		10-00	1-04	3	10/3	L	S180	0-11	S90					17	#3 LINKS @14"
282	MT	LVL 10-11																	
283	TR	BF		60	6				25/8	H	10-06	S90						190	6 #8 V
284	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
285	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
286	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
287	TR	BF		60		10-00	1-04		10/3	L	S180	0-11	S90					6	#3 LINKS @14"
288	MT	COL-2 (18"x24")																	
289	MT	LVL 3-4																	
290	TR	BF		60	6				32/10	H	S90	3-09						144	6 #10 DWLS
291	TR	CV		60	6				32/10	H	10-08					30D		359	6 #10 V
292	TR	BF		60		10-00	1-06		10/3	L	2S180	1-03	1-09	1-03	1-09			21	#3 TIES @18"
293	TR	BF		60	3				10/3	L	2S180	1-03	1-09	1-03	1-09			8	3 #3 TIES @TOP
294	TR	BF		60	3				10/3	L	S180	1-03	S90					2	3 #3 T LINKS
295	TR	BF		60		10-00	1-06		10/3	L	2S180	1-03	S90					7	#3 LINKS @18"

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
296	MT	LVL 4-5																		
297	TR	CV		60	6				29/9	H	10-08					30D		275	6 #9 V	
298	TR	BF		60		10-00	1-06		10/3	L	2S180	1-03	1-09	1-03	1-09			21	#3 TIES @18"	
299	TR	BF		60	3				10/3	L	2S180	1-03	1-09	1-03	1-09			8	3 #3 TIES @TOP	
300	TR	BF		60	3				10/3	L	S180	1-03	S90					2	3 #3 T LINKS	
301	TR	BF		60		10-00	1-06		10/3	L	2S180	1-03	S90					7	#3 LINKS @18"	
302	MT	LVL 5-11 (6 LVLS)																		
303	TR	BF		60	6			6	25/8	H	10-06	S90						1,137	6 #8 V	
304	TR	BF		60		10-00	1-06	6	10/3	L	2S180	1-03	1-09	1-03	1-09			123	#3 TIES @18"	
305	TR	BF		60	3			6	10/3	L	2S180	1-03	1-09	1-03	1-09			46	3 #3 TIES @TOP	
306	TR	BF		60	3			6	10/3	L	S180	1-03	S90					14	3 #3 T LINKS	
307	TR	BF		60		10-00	1-06	6	10/3	L	2S180	1-03	S90					44	#3 LINKS @18"	
308	MT	LVL 11-ROOF																		
309	TR	BF		60	6				25/8	H	11-06	S90						206	6 #8 V	
310	TR	BF		60		10-00	1-06	6	10/3	L	2S180	1-03	1-09	1-03	1-09			123	#3 TIES @18"	
311	TR	BF		60	3			6	10/3	L	2S180	1-03	1-09	1-03	1-09			46	3 #3 TIES @TOP	
312	TR	BF		60	3			6	10/3	L	S180	1-03	S90					14	3 #3 T LINKS	
313	TR	BF		60		10-00	1-06	6	10/3	L	2S180	1-03	S90					44	#3 LINKS @18"	
314	MT	COL-3 (24"x24")																		
315	MT	FDN - LVL 2																		
316	TR	CV		60	6				32/10	H	17-00					30D		523	6 #10 V	
317	TR	BF		60		16-04	1-06		10/3	L	2S180	1-09	1-09	1-09	1-09			35	#3 TIES @18"	
318	TR	BF		60	3				10/3	L	2S180	1-09	1-09	1-09	1-09			9	3 #3 TIES @TOP	
319	TR	BF		60	3				10/3	L	S180	1-09	S90					3	3 #3 T LINKS	
320	TR	BF		60		16-04	1-06		10/3	L	S180	1-09	S90					11	#3 LINKS @18"	
321	MT	COL-3 (18"x24")																		
322	MT	LVL 2-3																		
323	TR	CV		60	6				32/10	H	11-04					30D		377	6 #10 V	
324	TR	BF		60		10-08	1-06		10/3	L	2S180	1-03	1-09	1-03	1-09			23	#3 TIES @18"	
325	TR	BF		60	3				10/3	L	2S180	1-03	1-09	1-03	1-09			8	3 #3 TIES @TOP	
326	TR	BF		60	3				10/3	L	S180	1-03	S90					2	3 #3 T LINKS	
327	TR	BF		60		10-08	1-06		10/3	L	S180	1-03	S90					7	#3 LINKS @18"	
328	MT	LVL 3-4																		
329	TR	CV		60	6				32/10	H	10-08					30D		359	6 #10 V	
330	TR	BF		60		10-00	1-06		10/3	L	2S180	1-03	1-09	1-03	1-09			21	#3 TIES @18"	
331	TR	BF		60	3				10/3	L	2S180	1-03	1-09	1-03	1-09			8	3 #3 TIES @TOP	
332	TR	BF		60	3				10/3	L	S180	1-03	S90					2	3 #3 T LINKS	
333	TR	BF		60		10-00	1-06		10/3	L	S180	1-03	S90					6	#3 LINKS @18"	
334	MT	LVL 4-5																		
335	TR	CV		60	6				29/9	H	10-08					30D		275	6 #9 V	
336	TR	BF		60		10-00	1-06		10/3	L	2S180	1-03	1-09	1-03	1-09			21	#3 TIES @18"	
337	TR	BF		60	3				10/3	L	2S180	1-03	1-09	1-03	1-09			8	3 #3 TIES @TOP	
338	TR	BF		60	3				10/3	L	S180	1-03	S90					2	3 #3 T LINKS	
339	TR	BF		60		10-00	1-06		10/3	L	S180	1-03	S90					6	#3 LINKS @18"	
340	MT	LVL 5-11 (6 LVLS)																		
341	TR	CV		60	6			6	25/8	H	10-08					30D		1,266	6 #8 V	
342	TR	BF		60		10-00	1-06	6	10/3	L	2S180	1-03	1-09	1-03	1-09			123	#3 TIES @18"	
343	TR	BF		60	3			6	10/3	L	2S180	1-03	1-09	1-03	1-09			46	3 #3 TIES @TOP	
344	TR	BF		60	3			6	10/3	L	S180	1-03	S90					14	3 #3 T LINKS	
345	TR	BF		60		10-00	1-06	6	10/3	L	S180	1-03	S90					36	#3 LINKS @18"	
346	MT	LVL 11-ROOF																		
347	TR	BF		60	6				25/8	H	11-06	S90						206	6 #8 V	
348	TR	BF		60		11-00	1-06		10/3	L	2S180	1-03	1-09	1-03	1-09			23	#3 TIES @18"	
349	TR	BF		60	3				10/3	L	2S180	1-03	1-09	1-03	1-09			8	3 #3 TIES @TOP	
350	TR	BF		60	3				10/3	L	S180	1-03	S90					2	3 #3 T LINKS	
351	TR	BF		60		11-00	1-06		10/3	L	S180	1-03	S90					7	#3 LINKS @18"	
352	MT	COL-4 (20"x28")																		
353	MT	FDN - LVL 2																		
354	TR	CV		60	14				32/10	H	17-00					30D		1,220	14 #10 V	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
355	TR	BF		60		16-04	1-06		10/3	L	2S180	1-05	2-01	1-05	2-01			35	#3 TIES @18"
356	TR	BF		60	3				10/3	L	2S180	1-05	2-01	1-05	2-01			9	3 #3 TIES @TOP
357	TR	BF		60	3				10/3	L	S180	1-05	S90					2	3 #3 T LINKS
358	TR	BF		60		16-04	1-06	2	10/3	L	S180	1-05	S90					20	#3 LINKS @18"
359	MT	COL-4 (16"x28")																	
360	MT	LVL 2-3																	
361	TR	CV		60	14				29/9	H	11-04					30D		674	14 #9 V
362	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-01	1-01	2-01			24	#3 TIES @16"
363	TR	BF		60	3				10/3	L	2S180	1-01	2-01	1-01	2-01			8	3 #3 TIES @TOP
364	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
365	TR	BF		60		10-08	1-04	2	10/3	L	S180	1-01	S90					12	#3 LINKS @16"
366	MT	COL-4 (14"x28")																	
367	MT	LVL 3-4																	
368	TR	CV		60	14				29/9	H	10-08					30D		643	14 #9 V
369	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
370	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
371	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
372	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"
373	MT	LVL 4-5																	
374	TR	CV		60	12				29/9	H	10-08					30D		551	12 #9 V
375	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
376	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
377	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
378	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"
379	MT	LVL 5-6																	
380	TR	CV		60	10				25/8	H	10-08					30D		352	10 #8 V
381	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
382	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
383	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
384	TR	BF		60		10-00	1-04		10/3	L	S180	0-11	S90					6	#3 LINKS @14"
385	MT	LVL 6-7																	
386	TR	CV		60	8				25/8	H	10-08					30D		281	8 #8 V
387	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
388	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
389	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
390	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"
391	MT	LVL 7-11 (4 LVLs)																	
392	TR	CV		60	6			4	25/8	H	10-08					30D		844	6 #8 V
393	TR	BF		60		10-00	1-02	4	10/3	L	2S180	0-11	2-01	0-11	2-01			103	#3 TIES @14"
394	TR	BF		60	3			4	10/3	L	2S180	0-11	2-01	0-11	2-01			31	3 #3 TIES @TOP
395	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
396	TR	BF		60		10-00	1-04	4	10/3	L	S180	0-11	S90					23	#3 LINKS @14"
397	MT	LVL 11-ROOF																	
398	TR	BF		60	6				25/8	H	11-06	S90						206	6 #8 V
399	TR	BF		60		11-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			28	#3 TIES @14"
400	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
401	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
402	TR	BF		60		11-00	1-02		10/3	L	S180	0-11	S90					7	#3 LINKS @14"
403	MT	COL-5 (22"x30")																	
404	MT	FDN - LVL 2																	
405	TR	CV		60	14				32/10	H	17-00					30D		1,220	14 #10 V
406	TR	BF		60		16-04	1-06		10/3	L	2S180	1-07	2-03	1-07	2-03			38	#3 TIES @18"
407	TR	BF		60	3				10/3	L	2S180	1-07	2-03	1-07	2-03			10	3 #3 TIES @TOP
408	TR	BF		60	3				10/3	L	S180	1-07	S90					3	3 #3 T LINKS
409	TR	BF		60		16-04	1-06	2	10/3	L	S180	1-07	S90					21	#3 LINKS @18"
410	MT	COL-5 (16"x30")																	
411	MT	LVL 2-3																	
412	TR	CV		60	14				32/10	H	11-04					30D		879	14 #10 V
413	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-03	1-01	2-03			25	#3 TIES @16"

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
414	TR	BF		60	3				10/3	L	2S180	1-01	2-03	1-01	2-03			8	3 #3 TIES @TOP
415	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
416	TR	BF		60		10-08	1-04	2	10/3	L	S180	1-01	S90					12	#3 LINKS @16"
417	MT	COL-5 (14"x30")																	
418	MT	LVL 3-4																	
419	TR	CV		60	14				32/10	H	10-08					30D		838	14 #10 V
420	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
421	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
422	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
423	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
424	MT	LVL 4-5																	
425	TR	CV		60	14				29/9	H	10-08					30D		643	14 #9 V
426	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
427	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
428	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
429	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
430	MT	LVL 5-6																	
431	TR	CV		60	14				25/8	H	10-08					30D		492	14 #8 V
432	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
433	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
434	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
435	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
436	MT	LVL 6-7																	
437	TR	CV		60	12				25/8	H	10-08					30D		422	12 #8 V
438	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
439	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
440	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
441	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
442	MT	LVL 7-8																	
443	TR	CV		60	8				25/8	H	10-08					30D		281	8 #8 V
444	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
445	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
446	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
447	TR	BF		60		10-06	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
448	MT	LVL 8-11 (3 LVLS)																	
449	TR	CV		60	6			3	25/8	H	10-08					30D		633	6 #8 V
450	TR	BF		60		10-00	1-02	3	10/3	L	2S180	0-11	2-03	0-11	2-03			81	#3 TIES @14"
451	TR	BF		60	3			3	10/3	L	2S180	0-11	2-03	0-11	2-03			24	3 #3 TIES @TOP
452	TR	BF		60	3			3	10/3	L	S180	0-11	S90					6	3 #3 T LINKS
453	TR	BF		60		10-00	1-02	3	10/3	L	S180	0-11	S90					19	#3 LINKS @14"
454	MT	LVL 11-ROOF																	
455	TR	BF		60	6				25/8	H	11-06	S90						206	6 #8 V
456	TR	BF		60		10-06	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
457	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
458	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
459	TR	BF		60		11-00	1-02		10/3	L	S180	0-11	S90					7	#3 LINKS @14"
460	MT	COL-6 (22"x30")																	
461	MT	FDN - LVL 2																	
462	TR	CV		60	14				32/10	H	17-00					30D		1,220	14 #10 V
463	TR	BF		60		16-04	1-06		10/3	L	2S180	1-07	2-03	1-07	2-03			38	#3 TIES @18"
464	TR	BF		60	3				10/3	L	2S180	1-07	2-03	1-07	2-03			10	3 #3 TIES @TOP
465	TR	BF		60	3				10/3	L	S180	1-07	S90					3	3 #3 T LINKS
466	TR	BF		60		16-04	1-06	2	10/3	L	S180	1-07	S90					21	#3 LINKS @18"
467	MT	COL-6 (16"x30")																	
468	MT	LVL 2-3																	
469	TR	CV		60	14				32/10	H	11-04					30D		879	14 #10 V
470	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-03	1-01	2-03			25	#3 TIES @16"
471	TR	BF		60	3				10/3	L	2S180	1-01	2-03	1-01	2-03			8	3 #3 TIES @TOP
472	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
473	TR	BF		60		10-08	1-04	2	10/3	L	S180	1-01	S90					12	#3 LINKS @16"	
474	MT	COL-6 (14"x30")																		
475	MT	LVL 3-4																		
476	TR	CV		60	14				32/10	H	10-08							30D	838	14 #10 V
477	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
478	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
479	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
480	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90						13	#3 LINKS @14"
481	MT	LVL 4-5																		
482	TR	CV		60	14				29/9	H	10-08							30D	643	14 #9 V
483	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
484	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
485	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
486	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90						13	#3 LINKS @14"
487	MT	LVL 5-6																		
488	TR	CV		60	14				25/8	H	10-08							30D	492	14 #8 V
489	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
490	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
491	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
492	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90						13	#3 LINKS @14"
493	MT	LVL 6-7																		
494	TR	CV		60	12				25/8	H	10-08							30D	422	12 #8 V
495	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
496	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
497	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
498	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90						13	#3 LINKS @14"
499	MT	LVL 7-8																		
500	TR	CV		60	8				25/8	H	10-08							30D	281	8 #8 V
501	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
502	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
503	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
504	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90						13	#3 LINKS @14"
505	MT	LVL 8-9																		
506	TR	CV		60	6				25/8	H	10-08							30D	211	6 #8 V
507	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
508	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
509	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
510	TR	BF		60		10-00	1-02		10/3	L	S180	0-11	S90						6	#3 LINKS @14"
511	MT	LVL 9-10																		
512	TR	BF		60	6				25/8	H	10-06	S90							190	6 #8 V
513	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
514	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
515	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
516	TR	BF		60		10-00	1-02		10/3	L	S180	0-11	S90						6	#3 LINKS @14"
517	MT	COL-7 (22"x30")																		
518	MT	FDN - LVL 2																		
519	TR	CV		60	14				32/10	H	17-00							30D	1,220	14 #10 V
520	TR	BF		60		16-04	1-06		10/3	L	2S180	1-07	2-03	1-07	2-03				38	#3 TIES @18"
521	TR	BF		60	3				10/3	L	2S180	1-07	2-03	1-07	2-03				10	3 #3 TIES @TOP
522	TR	BF		60	3				10/3	L	S180	1-07	S90						3	3 #3 T LINKS
523	TR	BF		60		16-04	1-06	2	10/3	L	S180	1-07	S90						21	#3 LINKS @18"
524	MT	COL-7 (16"x30")																		
525	MT	LVL 2-3																		
526	TR	CV		60	14				32/10	H	11-04							30D	879	14 #10 V
527	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-03	1-01	2-03				25	#3 TIES @16"
528	TR	BF		60	3				10/3	L	2S180	1-01	2-03	1-01	2-03				8	3 #3 TIES @TOP
529	TR	BF		60	3				10/3	L	S180	1-01	S90						2	3 #3 T LINKS
530	TR	BF		60		10-08	1-04	2	10/3	L	S180	1-01	S90						12	#3 LINKS @16"
531	MT	COL-7 (14"x30")																		

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spog	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
532	MT	LVL 3-4																		
533	TR	CV		60	14				32/10	H	10-08					30D			838	14 #10 V
534	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
535	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
536	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
537	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90						13	#3 LINKS @14"
538	MT	LVL 4-5																		
539	TR	CV		60	14				29/9	H	10-08					30D			643	14 #9 V
540	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
541	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
542	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
543	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90						13	#3 LINKS @14"
544	MT	LVL 5-6																		
545	TR	CV		60	14				25/8	H	10-08					30D			492	14 #8 V
546	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
547	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
548	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
549	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90						13	#3 LINKS @14"
550	MT	LVL 6-7																		
551	TR	CV		60	12				25/8	H	10-08					30D			422	12 #8 V
552	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
553	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
554	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
555	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90						13	#3 LINKS @14"
556	MT	LVL 7-8																		
557	TR	CV		60	8				25/8	H	10-08					30D			281	8 #8 V
558	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
559	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
560	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
561	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90						13	#3 LINKS @14"
562	MT	LVL 8-9																		
563	TR	CV		60	6				25/8	H	10-08					30D			211	6 #8 V
564	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
565	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
566	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
567	TR	BF		60		10-00	1-02		10/3	L	S180	0-11	S90						6	#3 LINKS @14"
568	MT	LVL 9-10																		
569	TR	BF		60	6				25/8	H	10-06	S90							190	6 #8 V
570	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03				27	#3 TIES @14"
571	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03				8	3 #3 TIES @TOP
572	TR	BF		60	3				10/3	L	S180	0-11	S90						2	3 #3 T LINKS
573	TR	BF		60		10-00	1-02		10/3	L	S180	0-11	S90						6	#3 LINKS @14"
574	MT	COL-8 (22"x30")																		
575	MT	FDN - LVL 2																		
576	TR	CV		60	14				32/10	H	17-00					30D			1,220	14 #10 V
577	TR	BF		60		16-04	1-06		10/3	L	2S180	1-07	2-03	1-07	2-03				38	#3 TIES @18"
578	TR	BF		60	3				10/3	L	2S180	1-07	2-03	1-07	2-03				10	3 #3 TIES @TOP
579	TR	BF		60		16-04	1-06	2	10/3	L	S180	1-07	S90						21	#3 LINKS @18"
580	TR	BF		60	3				10/3	L	S180	1-07	S90						3	3 #3 T LINKS
581	MT	COL-8 (16"x30")																		
582	MT	LVL 2-3																		
583	TR	BF		60	2				32/10	H	11-02	S90							112	2 #10 V
584	TR	CV		60	12				32/10	H	11-04					30D			753	12 #10 V
585	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-03	1-01	2-03				25	#3 TIES @16"
586	TR	BF		60	3				10/3	L	2S180	1-01	2-03	1-01	2-03				8	3 #3 TIES @TOP
587	TR	BF		60	3				10/3	L	S180	1-01	S90						2	3 #3 T LINKS
588	TR	BF		60		10-08	1-04	2	10/3	L	S180	1-01	S90						12	#3 LINKS @16"
589	MT	COL-8 (14"x30")																		
590	MT	LVL 3-4																		

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
591	TR	CV		60	12				32/10	H	10-08					30D		719	12 #10 V
592	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
593	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
594	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
595	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
596	MT	LVL 4-5																	
597	TR	CV		60	12				29/9	H	10-08					30D		551	12 #9 V
598	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
599	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
600	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
601	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
602	MT	LVL 5-6																	
603	TR	CV		60	12				25/8	H	10-08					30D		422	12 #8 V
604	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
605	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
606	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
607	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
608	MT	LVL 6-7																	
609	TR	CV		60	12				25/8	H	10-08					30D		422	12 #8 V
610	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
611	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
612	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
613	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
614	MT	LVL 7-8																	
615	TR	CV		60	8				25/8	H	10-08					30D		281	8 #8 V
616	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
617	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
618	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
619	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
620	MT	LVL 8-9 & 9-10,10-11																	
621	TR	CV		60	6			3	25/8	H	10-08					30D		633	6 #8 V
622	TR	BF		60		10-00	1-02	3	10/3	L	2S180	0-11	2-03	0-11	2-03			81	#3 TIES @14"
623	TR	BF		60	3			3	10/3	L	2S180	0-11	2-03	0-11	2-03			24	3 #3 TIES @TOP
624	TR	BF		60	3			3	10/3	L	S180	0-11	S90					6	3 #3 T LINKS
625	TR	BF		60		10-00	1-02	3	10/3	L	S180	0-11	S90					19	#3 LINKS @14"
626	MT	LVL 11-ROOF																	
627	TR	BF		60	6				25/8	H	11-06	S90						206	6 #8 V
628	TR	BF		60		11-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			30	#3 TIES @14"
629	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
630	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
631	TR	BF		60		11-00	1-02	2	10/3	L	S180	0-11	S90					14	#3 LINKS @14"
632	MT	COL-9 (22"x30")																	
633	MT	FDN - LVL 2																	
634	TR	CV		60	12				32/10	H	17-00					30D		1,046	12 #10 V
635	TR	BF		60		16-04	1-06		10/3	L	2S180	1-07	2-03	1-07	2-03			38	#3 TIES @18"
636	TR	BF		60	3				10/3	L	2S180	1-07	2-03	1-07	2-03			10	3 #3 TIES @TOP
637	TR	BF		60	3				10/3	L	S180	1-07	S90					3	3 #3 T LINKS
638	TR	BF		60		16-04	1-06	2	10/3	L	S180	1-07	S90					21	#3 LINKS @18"
639	MT	COL-9 (16"x30")																	
640	MT	LVL 2-3																	
641	TR	CV		60	12				32/10	H	11-04					30D		753	12 #10 V
642	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-03	1-01	2-03			25	#3 TIES @16"
643	TR	BF		60	2				10/3	L	2S180	1-01	2-03	1-01	2-03			6	3 #3 TIES @TOP
644	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
645	TR	BF		60		10-08	1-04	2	10/3	L	S180	1-01	S90					12	#3 LINKS @16"
646	MT	COL-9 (14"x30")																	
647	MT	LVL 3-4																	
648	TR	CV		60	12				32/10	H	10-08					30D		719	12 #10 V
649	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
650	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
651	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
652	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
653	MT	LVL 4-5																	
654	TR	CV		60	12				29/9	H	10-08					30D		551	12 #9 V
655	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
656	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
657	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
658	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
659	MT	LVL 5-6																	
660	TR	CV		60	12				25/8	H	10-08					30D		422	12 #8 V
661	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
662	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
663	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
664	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
665	MT	LVL 6-7																	
666	TR	CV		60	12				25/8	H	10-08					30D		422	12 #8 V
667	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
668	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
669	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
670	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
671	MT	LVL 7-8																	
672	TR	CV		60	8				25/8	H	10-08					30D		281	8 #8 V
673	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
674	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
675	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
676	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"
677	MT	LVL 8-11 (3 LVLS)																	
678	TR	CV		60	6			3	25/8	H	10-08					30D		633	6 #8 V
679	TR	BF		60		10-00	1-02	3	10/3	L	2S180	0-11	2-03	0-11	2-03			81	#3 TIES @14"
680	TR	BF		60	3			3	10/3	L	2S180	0-11	2-03	0-11	2-03			24	3 #3 TIES @TOP
681	TR	BF		60	3			3	10/3	L	S180	0-11	S90					6	3 #3 T LINKS
682	TR	BF		60		10-00	1-02	3	10/3	L	S180	0-11	S90					19	#3 LINKS @14"
683	MT	LVL 11-ROOF																	
684	TR	BF		60	6				25/8	H	11-06	S90						206	6 #8 V
685	TR	BF		60		11-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			30	#3 TIES @14"
686	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
687	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
688	TR	BF		60		11-00	1-02	2	10/3	L	S180	0-11	S90					14	#3 LINKS @14"
689	MT	COL-12 (22"x30")																	
690	MT	FDN - LVL 2																	
691	TR	CV		60	14				32/10	H	17-00					30D		1,220	14 #10 V
692	TR	BF		60		16-04	1-06		10/3	L	2S180	1-07	2-03	1-07	2-03			38	#3 TIES @18"
693	TR	BF		60	3				10/3	L	2S180	1-07	2-03	1-07	2-03			10	3 #3 TIES @TOP
694	TR	BF		60	3				10/3	L	S180	1-07	S90					3	3 #3 T LINKS
695	TR	BF		60		16-04	1-06	2	10/3	L	S180	1-07	S90					21	#3 LINKS @18"
696	MT	COL-12 (16"x30")																	
697	MT	LVL 2-3																	
698	TR	CV		60	14				32/10	H	11-04					30D		879	14 #10 V
699	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-03	1-01	2-03			25	#3 TIES @16"
700	TR	BF		60	3				10/3	L	2S180	1-01	2-03	1-01	2-03			8	3 #3 TIES @TOP
701	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
702	TR	BF		60		10-08	1-04	2	10/3	L	S180	1-01	S90					12	#3 LINKS @16"
703	MT	COL-12 (14"x30")																	
704	MT	LVL 3-4																	
705	TR	CV		60	12				32/10	H	10-08					30D		719	12 #10 V
706	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"
707	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP
708	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spocg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
709	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"	
710	MT	LVL 4-5																		
711	TR	CV		60	12				32/10	H	10-08					30D		719	12 #10 V	
712	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"	
713	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP	
714	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS	
715	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"	
716	MT	LVL 5-6																		
717	TR	CV		60	12				29/9	H	10-08					30D		551	12 #9 V	
718	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"	
719	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP	
720	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS	
721	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"	
722	MT	LVL 6-7																		
723	TR	CV		60	12				25/8	H	10-08					30D		422	12 #8 V	
724	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"	
725	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP	
726	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS	
727	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"	
728	MT	LVL 7-8																		
729	TR	CV		60	8				25/8	H	10-08					30D		281	8 #8 V	
730	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"	
731	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP	
732	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS	
733	TR	BF		60		10-00	1-02	2	10/3	L	S180	0-11	S90					13	#3 LINKS @14"	
734	MT	LVL 8-9																		
735	TR	CV		60	6				25/8	H	10-08					30D		211	6 #8 V	
736	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"	
737	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP	
738	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS	
739	TR	BF		60		10-00	1-02		10/3	L	S180	0-11	S90					6	#3 LINKS @14"	
740	MT	LVL 9-10																		
741	TR	BF		60	6				25/8	H	10-06	S90						190	6 #8 V	
742	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-03	0-11	2-03			27	#3 TIES @14"	
743	TR	BF		60	3				10/3	L	2S180	0-11	2-03	0-11	2-03			8	3 #3 TIES @TOP	
744	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS	
745	TR	BF		60		10-00	1-02		10/3	L	S180	0-11	S90					6	#3 LINKS @14"	
746	MT	COL-13 (20"x28")																		
747	MT	FDN - LVL 2																		
748	TR	CV		60	12				32/10	H	17-00					30D		1,046	12 #10 V	
749	TR	BF		60		16-04	1-06		10/3	L	2S180	1-05	2-01	1-05	2-01			35	#3 TIES @18"	
750	TR	BF		60	3				10/3	L	2S180	1-05	2-01	1-05	2-01			9	3 #3 TIES @TOP	
751	TR	BF		60	3				10/3	L	S180	1-05	S90					2	3 #3 T LINKS	
752	TR	BF		60		16-04	1-06	2	10/3	L	S180	1-05	S90					20	#3 LINKS @18"	
753	MT	COL-13 (16"x28")																		
754	MT	LVL 2-3																		
755	TR	CV		60	12				29/9	H	11-04					30D		578	12 #9 V	
756	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-01	1-01	2-01			24	#3 TIES @16"	
757	TR	BF		60	3				10/3	L	2S180	1-01	2-01	1-01	2-01			8	3 #3 TIES @TOP	
758	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS	
759	TR	BF		60		10-08	1-04	2	10/3	L	S180	1-01	S90					12	#3 LINKS @16"	
760	MT	COL-13 (14"x28")																		
761	MT	LVL 3-4																		
762	TR	CV		60	12				29/9	H	10-08					30D		551	12 #9 V	
763	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"	
764	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP	
765	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS	
766	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"	
767	MT	LVL 4-5																		

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
768	TR	CV		60	12				25/8	H	10-08					30D		422	12 #8 V
769	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
770	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
771	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
772	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"
773	MT	LVL 5-6																	
774	TR	CV		60	10				25/8	H	10-08					30D		352	10 #8 V
775	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
776	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
777	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
778	TR	BF		60		10-00	1-04		10/3	L	S180	0-11	S90					6	#3 LINKS @14"
779	MT	LVL 6-10 (4 LVLS)																	
780	TR	CV		60	6			4	25/8	H	10-08					30D		844	6 #8 V
781	TR	BF		60		10-00	1-02	4	10/3	L	2S180	0-11	2-01	0-11	2-01			103	#3 TIES @14"
782	TR	BF		60	3			4	10/3	L	2S180	0-11	2-01	0-11	2-01			31	3 #3 TIES @TOP
783	TR	BF		60	3			4	10/3	L	S180	0-11	S90					8	3 #3 T LINKS
784	TR	BF		60		10-00	1-04	4	10/3	L	S180	0-11	S90					23	#3 LINKS @14"
785	MT	LVL 10-11																	
786	TR	BF		60	6				25/8	H	10-06	S90						190	6 #8 V
787	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
788	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
789	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
790	TR	BF		60		10-00	1-04		10/3	L	S180	0-11	S90					6	#3 LINKS @14"
791	MT	COL-14 & 15 (24"x24")																	
792	MT	FDN - LVL 2																	
793	TR	CV		60	6			2	29/9	H	20-08					30D		959	6 #9 V
794	TR	BF		60		20-00	1-06	2	10/3	L	2S180	1-09	1-09	1-09	1-09			88	#3 TIES @18"
795	TR	BF		60	3			2	10/3	L	2S180	1-09	1-09	1-09	1-09			18	3 #3 TIES @TOP
796	TR	BF		60	3			2	10/3	L	S180	1-09	S90					6	3 #3 T LINKS
797	TR	BF		60		20-00	1-06	2	10/3	L	S180	1-09	S90					28	#3 LINKS @18"
798	MT	COL-14 & 15 (20"x24")																	
799	MT	LVL 2-11 (9 LVLS)																	
800	TR	CV		60	6			9*2	29/9	H	11-04					30D		5,202	6 #9 V
801	TR	BF		60		10-08	1-06	9*2	10/3	L	2S180	1-05	1-09	1-05	1-09			436	#3 TIES @18"
802	TR	BF		60	3			9*2	10/3	L	2S180	1-05	1-09	1-05	1-09			145	3 #3 TIES @TOP
803	TR	BF		60	3			9*2	10/3	L	S180	1-09	S90					51	3 #3 T LINKS
804	TR	BF		60		10-08	1-06	9*2	10/3	L	S180	1-05	S90					132	#3 LINKS @18"
805	MT	LVL 11-ROOF																	
806	TR	BF		60	6			2	29/9	H	11-06	S90						534	6 #9 V
807	TR	BF		60		11-00	1-06	2	10/3	L	2S180	1-05	1-09	1-05	1-09			48	#3 TIES @18"
808	TR	BF		60	3			2	10/3	L	2S180	1-05	1-09	1-05	1-09			16	3 #3 TIES @TOP
809	TR	BF		60	3			2	10/3	L	S180	1-09	S90					6	3 #3 T LINKS
810	TR	BF		60		11-00	1-06	2	10/3	L	S180	1-05	S90					15	#3 LINKS @18"
811	MT	COL-16 (20"x28")																	
812	MT	FDN - LVL 2																	
813	TR	CV		60	14				32/10	H	20-08					30D		1,441	14 #10 V
814	TR	BF		60		20-00	1-06		10/3	L	2S180	1-07	2-03	1-07	2-03			48	#3 TIES @18"
815	TR	BF		60	3				10/3	L	2S180	1-07	2-03	1-07	2-03			10	3 #3 TIES @TOP
816	TR	BF		60	3				10/3	L	S180	1-07	S90					3	3 #3 T LINKS
817	TR	BF		60		20-00	1-06	2	10/3	L	S180	1-07	S90					26	#3 LINKS @18"
818	MT	COL-16 (16"x28")																	
819	MT	LVL 2-3																	
820	TR	CV		60	14				29/9	H	11-02					30D		667	14 #9 V
821	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-01	1-01	2-01			24	#3 TIES @16"
822	TR	BF		60	3				10/3	L	2S180	1-01	2-01	1-01	2-01			8	3 #3 TIES @TOP
823	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
824	TR	BF		60		10-08	1-04	2	10/3	L	S180	1-01	S90					12	#3 LINKS @16"
825	MT	COL-16 (14"x28")																	
826	MT	LVL 3-4																	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spocg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
827	TR	CV		60	14				29/9	H	10-08					30D		643	14 #9 V
828	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
829	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
830	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
831	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"
832	MT	LVL 4-5																	
833	TR	CV		60	12				29/9	H	10-08					30D		551	12 #9 V
834	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
835	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
836	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
837	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"
838	MT	LVL 5-6																	
839	TR	CV		60	10				25/8	H	10-08					30D		352	10 #8 V
840	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
841	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
842	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
843	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					6	#3 LINKS @14"
844	MT	LVL 6-7																	
845	TR	CV		60	8				25/8	H	10-08					30D		281	8 #8 V
846	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
847	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
848	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
849	TR	BF		60		10-00	1-04	2	10/3	L	S180	0-11	S90					11	#3 LINKS @14"
850	MT	LVL 7-10 (3 LVLS)																	
851	TR	CV		60	6			3	25/8	H	10-08					30D		633	6 #8 V
852	TR	BF		60		10-00	1-02	3	10/3	L	2S180	0-11	2-01	0-11	2-01			77	#3 TIES @14"
853	TR	BF		60	3			3	10/3	L	2S180	0-11	2-01	0-11	2-01			23	3 #3 TIES @TOP
854	TR	BF		60	3			3	10/3	L	S180	0-11	S90					6	3 #3 T LINKS
855	TR	BF		60		10-00	1-04	3	10/3	L	S180	0-11	S90					17	#3 LINKS @14"
856	MT	LVL 10-11																	
857	TR	BF		60	6				25/8	H	10-06	S90						190	6 #8 V
858	TR	BF		60		10-00	1-02		10/3	L	2S180	0-11	2-01	0-11	2-01			26	#3 TIES @14"
859	TR	BF		60	3				10/3	L	2S180	0-11	2-01	0-11	2-01			8	3 #3 TIES @TOP
860	TR	BF		60	3				10/3	L	S180	0-11	S90					2	3 #3 T LINKS
861	TR	BF		60		10-00	1-04		10/3	L	S180	0-11	S90					6	#3 LINKS @14"
862	MT	COL-100 & 111 (24"x24")																	
863	MT	FDN - LVL 2																	
864	TR	CV		60	4			2	36/11	H	17-08					30D		903	4 #11 V
865	TR	BF		60		17-00	1-04	2	10/3	L	2S180	1-09	1-09	1-09	1-09			82	#3 TIES @16"
866	TR	BF		60	3			2	10/3	L	2S180	1-09	1-09	1-09	1-09			18	3 #3 TIES @TOP
867	TR	BF		60	3				10/3	L	S180	1-09	S90					3	3 #3 T LINKS
868	MT	LVL 2-3																	
869	TR	BF		60	4			2	36/11	H	11-02	S90						560	4 #11 V
870	TR	BF		60		10-08	1-04	2	10/3	L	2S180	1-09	1-09	1-09	1-09			53	#3 TIES @16"
871	TR	BF		60	3			2	10/3	L	2S180	1-09	1-09	1-09	1-09			18	3 #3 TIES @TOP
872	TR	BF		60	3				10/3	L	S180	1-09	S90					3	3 #3 T LINKS
873	MT	COL-101,106 & 107 (16"x24")																	
874	MT	FDN - LVL 2																	
875	TR	CV		60	4			3	29/9	H	17-08					30D		836	4 #9 V
876	TR	BF		60		17-00	1-04	3	10/3	L	2S180	1-01	1-09	1-01	1-09			103	#3 TIES @16"
877	TR	BF		60	3			3	10/3	L	2S180	1-01	1-09	1-01	1-09			22	3 #3 TIES @TOP
878	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
879	MT	LVL 2-3																	
880	TR	BF		60	4			3	29/9	H	11-02	S90						520	4 #9 V
881	TR	BF		60		10-08	1-04	3	10/3	L	2S180	1-01	1-09	1-01	1-09			66	#3 TIES @16"
882	TR	BF		60	3			3	10/3	L	2S180	1-01	1-09	1-01	1-09			22	3 #3 TIES @TOP
883	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
884	MT	COL-102 (16"x60")																	
885	MT	FDN - LVL 2																	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
886	TR	CV		60	10				29/9	H	17-08					30D		697	10 #9 V
887	TR	BF		60		17-00	1-04		10/3	L	2S180	1-01	4-09	1-01	4-09			66	#3 TIES @16"
888	TR	BF		60	3				10/3	L	2S180	1-01	4-09	1-01	4-09			14	3 #3 TIES @TOP
889	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
890	TR	BF		60		17-00	1-04	3	10/3	L	2S180	1-01	S90					36	#3 LINKS @16"
891	MT	LVL 2-3																	
892	TR	BF		60	10				29/9	H	11-02	S90						434	10 #9 V
893	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	4-09	1-01	4-09			42	#3 TIES @16"
894	TR	BF		60	3				10/3	L	2S180	1-01	4-09	1-01	4-09			14	3 #3 TIES @TOP
895	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
896	TR	BF		60		10-08	1-04	3	10/3	L	2S180	1-01	S90					23	#3 LINKS @16"
897	MT	COL-104 (12"x18")																	
898	MT	FDN - LVL 2																	
899	TR	CV		60	4				25/8	H	17-08					30D		215	4 #8 V
900	TR	BF		60		17-00	1-00		10/3	L	2S180	0-09	1-03	0-09	1-03			33	#3 TIES @12"
901	TR	BF		60	3				10/3	L	2S180	0-09	1-03	0-09	1-03			5	3 #3 TIES @TOP
902	MT	LVL 2-3																	
903	TR	BF		60	4				25/8	H	11-02	S90						134	4 #8 V
904	TR	BF		60		10-08	1-00		10/3	L	2S180	0-09	1-03	0-09	1-03			22	#3 TIES @12"
905	TR	BF		60	3				10/3	L	2S180	0-09	1-03	0-09	1-03			5	3 #3 TIES @TOP
906	MT	COL-105 (12"x18")																	
907	MT	FDN - LVL 2																	
908	TR	CV		60	4				25/8	H	17-00					30D		208	4 #8 V
909	TR	BF		60		16-04	1-00		10/3	L	2S180	0-09	1-03	0-09	1-03			33	#3 TIES @12"
910	TR	BF		60	3				10/3	L	2S180	0-09	1-03	0-09	1-03			5	3 #3 TIES @TOP
911	MT	LVL 2-3																	
912	TR	BF		60	4				25/8	H	11-02	S90						134	4 #8 V
913	TR	BF		60		10-08	1-00		10/3	L	2S180	0-09	1-03	0-09	1-03			22	#3 TIES @12"
914	TR	BF		60	3				10/3	L	2S180	0-09	1-03	0-09	1-03			5	3 #3 TIES @TOP
915	MT	COL-108 (16"x16")																	
916	MT	FDN - LVL 2																	
917	TR	CV		60	4				25/8	H	17-08					30D		215	4 #8 V
918	TR	BF		60		17-00	1-04		10/3	L	2S180	1-01	1-01	1-01	1-01			27	#3 TIES @16"
919	TR	BF		60	3				10/3	L	2S180	1-01	1-01	1-01	1-01			6	3 #3 TIES @TOP
920	MT	LVL 2-3																	
921	TR	BF		60	4				25/8	H	11-02	S90						134	4 #8 V
922	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	1-01	1-01	1-01			17	#3 TIES @16"
923	TR	BF		60	3				10/3	L	2S180	1-01	1-01	1-01	1-01			6	3 #3 TIES @TOP
924	MT	COL-109 (12"x18")																	
925	MT	FDN - LVL 2																	
926	TR	CV		60	4				25/8	H	17-00					30D		208	4 #8 V
927	TR	BF		60		16-04	1-00		10/3	L	2S180	0-09	1-03	0-09	1-03			33	#3 TIES @12"
928	TR	BF		60	3				10/3	L	2S180	0-09	1-03	0-09	1-03			5	3 #3 TIES @TOP
929	MT	LVL 2-3																	
930	TR	BF		60	4				25/8	H	11-02	S90						134	4 #8 V
931	TR	BF		60		10-08	1-00		10/3	L	2S180	0-09	1-03	0-09	1-03			22	#3 TIES @12"
932	TR	BF		60	3				10/3	L	2S180	0-09	1-03	0-09	1-03			5	3 #3 TIES @TOP
933	MT	COL-110 (12"x18")																	
934	MT	LVL 3-4																	
935	TR	CV		60	4				25/8	H	17-08					30D		215	4 #8 V
936	TR	BF		60		17-00	1-00		10/3	L	2S180	0-09	1-03	0-09	1-03			33	#3 @12" TIES
937	TR	BF		60	3				10/3	L	2S180	0-09	1-03	0-09	1-03			5	3 #3 T TIES
938	MT	LVL 2-3																	
939	TR	BF		60	4				25/8	H	11-02	S90						134	4 #8 V
940	TR	BF		60		10-08	1-00		10/3	L	2S180	0-09	1-03	0-09	1-03			22	#3 @12" TIES
941	TR	BF		60	3				10/3	L	2S180	0-09	1-03	0-09	1-03			5	3 #3 T TIES
942	MT	COL-112 (16"x16")																	
943	MT	FDN - LVL 2																	
944	TR	CV		60	4				25/8	H	17-08					30D		215	4 #8 V

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
945	TR	BF		60		17-00	1-04		10/3	L	2S180	1-01	1-01	1-01	1-01			27	#3 TIES @16"
946	TR	BF		60	3				10/3	L	2S180	1-01	1-01	1-01	1-01			6	3 #3 TIES @TOP
947	MT	LVL 2-3																	
948	TR	BF		60	4				25/8	H	11-02	S90						134	4 #8 V
949	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	1-01	1-01	1-01			17	#3 TIES @16"
950	TR	BF		60	3				10/3	L	2S180	1-01	1-01	1-01	1-01			6	3 #3 TIES @TOP
951	MT	COL-113-117 (16"x16") (5 COLS)																	
952	MT	FDN - LVL 2																	
953	TR	CV		60	4			5	25/8	H	17-00					30D		1,041	4 #8 V
954	TR	BF		60		16-04	1-04	5	10/3	L	2S180	1-01	1-01	1-01	1-01			136	#3 TIES @16"
955	TR	BF		60	3			5	10/3	L	2S180	1-01	1-01	1-01	1-01			29	3 #3 TIES @TOP
956	MT	LVL 2-3																	
957	TR	BF		60	4			5	25/8	H	11-02	S90						668	4 #8 V
958	TR	BF		60		10-08	1-04	5	10/3	L	2S180	1-01	1-01	1-01	1-01			87	#3 TIES @16"
959	TR	BF		60	3			5	10/3	L	2S180	1-01	1-01	1-01	1-01			29	3 #3 TIES @TOP
960	MT	COL-118,119 & 123 (24"x24")																	
961	MT	FDN - LVL 2																	
962	TR	CV		60	4			3	36/11	H	17-00					30D		1,312	4 #11 V
963	TR	BF		60		16-04	1-04	3	10/3	L	2S180	1-09	1-09	1-09	1-09			124	#3 TIES @16"
964	TR	BF		60	3			3	10/3	L	2S180	1-09	1-09	1-09	1-09			26	3 #3 TIES @TOP
965	MT	LVL 2-3																	
966	TR	BF		60	4			3	36/11	H	11-02	S90						840	4 #11 V
967	TR	BF		60		10-08	1-04	3	10/3	L	2S180	1-09	1-09	1-09	1-09			79	#3 TIES @16"
968	TR	BF		60	3			3	10/3	L	2S180	1-09	1-09	1-09	1-09			26	3 #3 TIES @TOP
969	MT	COL-120 (24"x24")																	
970	MT	FDN - LVL 2																	
971	TR	CV		60	4				36/11	H	20-08					30D		515	4 #11 V
972	TR	BF		60		20-00	1-04		10/3	L	2S180	1-09	1-09	1-09	1-09			47	#3 TIES @16"
973	TR	BF		60	3				10/3	L	2S180	1-09	1-09	1-09	1-09			9	3 #3 TIES @TOP
974	MT	LVL 2-3																	
975	TR	BF		60	4				36/11	H	11-02	S90						280	4 #11 V
976	TR	BF		60		10-08	1-04		10/3	L	2S180	1-09	1-09	1-09	1-09			26	#3 TIES @16"
977	TR	BF		60	3				10/3	L	2S180	1-09	1-09	1-09	1-09			9	3 #3 TIES @TOP
978	MT	COL-121 & 122 (16"x16")																	
979	MT	FDN - LVL 2																	
980	TR	CV		60	4			2	25/8	H	20-08					30D		495	4 #8 V
981	TR	BF		60		20-00	1-04	2	10/3	L	2S180	1-01	1-01	1-01	1-01			62	#3 TIES @16"
982	TR	BF		60	3			2	10/3	L	2S180	1-01	1-01	1-01	1-01			12	3 #3 TIES @TOP
983	MT	LVL 2-3																	
984	TR	BF		60	4			2	25/8	H	11-02	S90						267	4 #8 V
985	TR	BF		60		10-08	1-04	2	10/3	L	2S180	1-01	1-01	1-01	1-01			35	#3 TIES @16"
986	TR	BF		60	3			2	10/3	L	2S180	1-01	1-01	1-01	1-01			12	3 #3 TIES @TOP
987	MT	COL-124 & 125 (16"x16")																	
988	MT	FDN - LVL 2																	
989	TR	BF		60	4			2	25/8	H	20-06	S90						466	4 #8 V
990	TR	BF		60		20-00	1-04	2	10/3	L	2S180	1-01	1-01	1-01	1-01			62	#3 TIES @16"
991	TR	BF		60	3			2	10/3	L	2S180	1-01	1-01	1-01	1-01			12	3 #3 TIES @TOP
992	MT	COL-130 (16"x36")																	
993	MT	FDN - LVL 2																	
994	TR	CV		60	12				32/10	H	20-00					30D		1,201	12 #10 V
995	TR	BF		60		19-04	1-04		10/3	L	2S180	1-01	2-09	1-01	2-09			51	#3 TIES @16"
996	TR	BF		60	3				10/3	L	2S180	1-01	2-09	1-01	2-09			10	3 #3 TIES @TOP
997	TR	BF		60		19-10	1-04	2	10/3	L	2S180	1-01	S90					27	#3 LINKS @16"
998	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS
999	MT	LVL 2-3																	
1000	TR	BF		60	12				32/10	H	11-02	S90						671	12 #10 V
1001	TR	BF		60		10-08	1-04		10/3	L	2S180	1-01	2-09	1-01	2-09			29	#3 TIES @16"
1002	TR	BF		60	3				10/3	L	2S180	1-01	2-09	1-01	2-09			10	3 #3 TIES @TOP
1003	TR	BF		60	3				10/3	L	S180	1-01	S90					2	3 #3 T LINKS

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1004	TR	BF		60		10-08	1-04	2	10/3	L	2S180	1-01	S90					15	#3 LINKS @16"	
1005	GI	Segment: MAIN BUILDING Sub-Segment: CIP SHEAR WALLS User Dfnd: CAST IN ...																		
1006	MT	SHEAR WALL (SW #1)																		
1007	MT	FDN - LVL 2																		
1008	MT	STRIP-A (2 LOCS)																		
1009	TR	BF		60	5			2*2	22/7	S	20-00	6-06						1,083	5 #7 V EF	
1010	MT	STRIP-B																		
1011	TR	BF		60		60-00	1-00	2	16/5	S	15-00	3-092						2,391	#5 @12" V EF	
1012	TR	BF		60		63-04	1-00	2	16/5	S	5-00	3-092						1,192	#5 @12" V EF B OPNG	
1013	TR	BF		60		3-04	1-00	2	16/5	H	12-10	S90						143	#5 @12" V EF @AB	
1014	TR	BF		60	1			2*2	16/5	S	12-00							50	1 #5 V EF @OPNG	
1015	TR	BF		60	1			2	16/5	S	8-04							17	1 #5 H EF @OPNG	
1016	MT	STRIP-C (2 LOCS)																		
1017	TR	BF		60	4			2*2	22/7	S	20-00	6-06						867	4 #7 V EF	
1018	MT	HORZ																		
1019	TR	LS		60		7-00	1-00	2	16/5	S	74-00				0	3-092	30-00	1,363	#5 @12" H EF @OPNG	
1020	TR	LS		60		12-04	1-00	2	16/5	S	77-01				0	3-092	30-00	2,475	#5 @12" H EF B&AB	
1021	TR	BF		60		19-04	1-00	4	16/5	H	3-092	0-05	3-092					701	#5 @12" HAIRPINBAR	
1022	TR	BF		60		19-04	1-00	4	16/5	H	3-092	0-09	3-092					730	#5 @12" HAIRPINBAR	
1023	TR	BF		60		7-00	1-00		16/5	L	2S180	1-03	0-09	1-03				37	#5 @12" TIES	
1024	MT	LVL 2-3																		
1025	MT	STRIP-A (2 LOCS)																		
1026	TR	BF		60	5			2*2	22/7	S	11-04	6-06						729	5 #7 V EF	
1027	MT	STRIP-B																		
1028	TR	BF		60		60-00	1-00	2	16/5	S	11-04	3-092						1,925	#5 @12" V EF	
1029	TR	BF		60		3-04	1-00	2	16/5	H	4-02	2S90						61	#5 @12" V EF @AB	
1030	TR	BF		60	1			2*2	16/5	S	12-00							50	1 #5 V EF @OPNG	
1031	TR	BF		60	1			2	16/5	S	8-04							17	1 #5 H EF @OPNG	
1032	MT	STRIP-C (2 LOCS)																		
1033	TR	BF		60	4			2*2	22/7	S	11-04	6-06						583	4 #7 V EF	
1034	MT	HORZ																		
1035	TR	LS		60		7-00	1-00	2	16/5	S	74-00				0	3-092	30-00	1,363	#5 @12" H EF @OPNG	
1036	TR	LS		60		3-08	1-00	2	16/5	H	77-01				0	3-092	30-00	884	#5 @12" H EF AB	
1037	TR	BF		60		10-08	1-00	4	16/5	H	3-092	0-05	3-092					401	#5 @12" HAIRPINBAR	
1038	TR	BF		60		10-08	1-00	4	16/5	H	3-092	0-09	3-092					417	#5 @12" HAIRPINBAR	
1039	TR	BF		60		7-00	1-00		16/5	L	2S180	1-03	0-09	1-03				37	#5 @12" TIES	
1040	MT	LVL 3-4																		
1041	MT	STRIP-A (2 LOCS)																		
1042	TR	BF		60	5			2*2	22/7	S	10-08	7-013						728	5 #7 V EF	
1043	MT	STRIP-B																		
1044	TR	BF		60		60-00	1-00	2	16/5	S	10-08	4-09						1,962	#5 @12" V EF	
1045	TR	BF		60		3-04	1-00	2	16/5	H	3-06	2S90						54	#5 @12" V EF @AB	
1046	TR	BF		60	1			2*2	16/5	S	12-00							50	1 #5 V EF @OPNG	
1047	TR	BF		60	1			2	16/5	S	8-04							17	1 #5 H EF @OPNG	
1048	MT	STRIP-C (2 LOCS)																		
1049	TR	BF		60	4			2*2	22/7	S	10-08	7-013						583	4 #7 V EF	
1050	MT	HORZ																		
1051	TR	LS		60		7-00	1-00	2	16/5	S	74-00				0	4-09	30-00	1,393	#5 @12" H EF @OPNG	
1052	TR	LS		60		3-00	1-00	2	16/5	H	77-01				0	4-09	30-00	722	#5 @12" H EF AB	
1053	TR	BF		60		10-00	1-00	4	16/5	H	4-09	0-05	4-09					455	#5 @12" HAIRPINBAR	
1054	TR	BF		60		10-00	1-00	4	16/5	H	4-09	0-09	4-09					471	#5 @12" HAIRPINBAR	
1055	TR	BF		60		7-00	1-00		16/5	L	2S180	1-03	0-09	1-03				37	#5 @12" TIES	
1056	MT	LVL 4-11 (7 LVLS)																		
1057	MT	STRIP-A (2 LOCS)																		
1058	TR	BF		60	5			2*2*7	22/7	S	10-08	7-103						5,312	5 #7 V EF	
1059	MT	STRIP-B																		
1060	TR	BF		60		60-00	1-00	2*7	16/5	S	10-08	4-062						13,545	#5 @12" V EF	
1061	TR	BF		60		3-04	1-00	2*7	16/5	H	3-06	2S90						377	#5 @12" V EF @AB	
1062	TR	BF		60	1			2*2*7	16/5	S	12-00							350	1 #5 V EF @OPNG	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spccg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1063	TR	BF		60	1			2*7	16/5	S	8-04							122	1 #5 H EF @OPNG	
1064	MT	STRIP-C (2 LOCS)																		
1065	TR	BF		60	4			2*2*7	22/7	S	10-08	7-103						4,250	4 #7 V EF	
1066	MT	HORZ																		
1067	TR	LS		60		7-00	1-00	2	16/5	S	74-00				0	4-062	30-00	1,388	#5 @12" H EF @OPNG	
1068	TR	LS		60		3-00	1-00	2*7	16/5	S	77-01				0	4-062	30-00	5,038	#5 @12" H EF AB	
1069	TR	BF		60		10-00	1-00	4*7	16/5	H	4-062	0-05	4-062					3,051	#5 @12" HAIRPINBAR	
1070	TR	BF		60		10-00	1-00	4*7	16/5	H	4-062	0-09	4-062					3,159	#5 @12" HAIRPINBAR	
1071	TR	BF		60		7-00	1-00	7	16/5	L	2S180	1-03	0-09	1-03				258	#5 @12" TIES	
1072	MT	LVL 11-ROOF																		
1073	MT	STRIP-A (2 LOCS)																		
1074	TR	BF		60	5			2*2	22/7	S	11-08	7-103						800	5 #7 V EF	
1075	MT	STRIP-B																		
1076	TR	BF		60		60-00	1-00	2	16/5	S	11-08	4-062						2,062	#5 @12" V EF	
1077	TR	BF		60		3-04	1-00	2	16/5	H	4-06	2S90						64	#5 @12" V EF @AB	
1078	TR	BF		60	1			2*2	16/5	S	12-00							50	1 #5 V EF @OPNG	
1079	TR	BF		60	1			2	16/5	S	8-04							17	1 #5 H EF @OPNG	
1080	MT	STRIP-C (2 LOCS)																		
1081	TR	BF		60	4			2*2	22/7	S	11-08	7-103						640	4 #7 V EF	
1082	MT	HORZ																		
1083	TR	LS		60		7-00	1-00	2	16/5	S	74-00				0	4-062	30-00	1,388	#5 @12" H EF @OPNG	
1084	TR	LS		60		4-08	1-00	2	16/5	S	77-01				0	4-062	30-00	1,080	#5 @12" H EF	
1085	TR	BF		60		11-00	1-00	4	16/5	H	4-062	0-05	4-062					476	#5 @12" HAIRPINBAR	
1086	TR	BF		60		11-00	1-00	4	16/5	H	4-062	0-09	4-062					492	#5 @12" HAIRPINBAR	
1087	TR	BF		60		7-00	1-00		16/5	L	2S180	1-03	0-09	1-03				37	#5 @12" TIES	
1088	MT	LVL ROOF- HIGH ROOF																		
1089	MT	STRIP-A (2 LOCS)																		
1090	TR	BF		60	5			2*2	22/7	H	11-06	S90						518	5 #7 V EF	
1091	MT	STRIP-B																		
1092	TR	BF		60		60-00	1-00	2	16/5	H	11-06	S90						1,569	#5 @12" V EF	
1093	TR	BF		60		3-04	1-00	2	16/5	H	4-06	2S90						64	#5 @12" V EF @AB	
1094	TR	BF		60	1			2	16/5	S	8-04							17	1 #5 H EF @OPNG	
1095	MT	STRIP-C (2 LOCS)																		
1096	TR	BF		60	4			2*2	22/7	H	11-06	S90						414	4 #7 V EF	
1097	MT	HORZ																		
1098	TR	LS		60		7-00	1-00	2	16/5	S	74-00				0	4-062	30-00	1,388	#5 @12" H EF @OPNG	
1099	TR	LS		60		4-00	1-00	2	16/5	S	77-01				0	4-062	30-00	900	#5 @12" H EF AB	
1100	TR	BF		60		11-00	1-00	4	16/5	H	4-062	0-05	4-062					476	#5 @12" HAIRPINBAR	
1101	TR	BF		60		11-00	1-00	4	16/5	H	4-062	0-09	4-062					492	#5 @12" HAIRPINBAR	
1102	TR	BF		60		7-00	1-00		16/5	L	2S180	1-03	0-09	1-03				37	#5 @12" TIES	
1103	MT	SHEAR WALL (SW #2)																		
1104	MT	FDN - LVL 2																		
1105	MT	STRIP-A (4 LOCS)																		
1106	TR	BF		60	4			4*2	25/8	S	20-00	7-07						2,357	4 #8 V EF	
1107	MT	STRIP-B																		
1108	TR	BF		60		18-043	1-00	2	16/5	S	20-00	3-092						993	#5 @12" V EF	
1109	MT	STRIP-C (2 LOCS)																		
1110	TR	BF		60	2			2*2	22/7	S	20-00	6-06						433	2 #7 V EF	
1111	MT	HORZ																		
1112	TR	LS		60		19-04	1-00	2	16/5	S	28-013				0	3-092	30-00	1,233	#5 @12" H EF	
1113	TR	BF		60		19-04	1-00	6	16/5	H	3-092	0-09	3-092					1,096	#5 @12" HAIRPINBAR	
1114	MT	LVL 2-3																		
1115	MT	STRIP-A (4 LOCS)																		
1116	TR	BF		60	4			4*2	22/7	S	11-04	6-06						1,166	4 #7 V EF	
1117	MT	STRIP-B																		
1118	TR	BF		60		18-043	1-00	2	16/5	S	11-04	3-092						631	#5 @12" V EF	
1119	MT	STRIP-C (2 LOCS)																		
1120	TR	BF		60	2			2*2	22/7	S	11-04	6-06						292	2 #7 V EF	
1121	MT	HORZ																		

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1122	TR	LS		60		10-08	1-00	2	16/5	S	28-013				0	3-092	30-00	705	#5 @12" H EF	
1123	TR	BF		60		10-08	1-00	6	16/5	H	3-092	0-09	3-092					626	#5 @12" HAIRPINBAR	
1124	MT	LVL 3-4																		
1125	MT	STRIP-A (4 LOCS)																		
1126	TR	BF		60	4			2*4	22/7	S	10-08	7-013						1,165	4 #7 V EF	
1127	MT	STRIP-B																		
1128	TR	BF		60		18-043	1-00	2	16/5	S	10-08	4-09						643	#5 @12" V EF	
1129	MT	STRIP-C (2 LOCS)																		
1130	TR	BF		60	2			2*2	22/7	S	10-08	7-013						291	2 #7 V EF	
1131	MT	HORZ																		
1132	TR	LS		60		10-00	1-00	2	16/5	S	28-013				0	4-09	30-00	646	#5 @12" H EF	
1133	TR	BF		60		10-00	1-00	6	16/5	H	4-09	0-09	4-09					706	#5 @12" HAIRPINBAR	
1134	MT	LVL 4-11 (7 LVLS)																		
1135	MT	STRIP-A (4 LOCS)																		
1136	TR	BF		60	4			2*4*7	22/7	S	10-08	7-103						8,499	4 #7 V EF	
1137	MT	STRIP-B																		
1138	TR	BF		60		18-043	1-00	2*7	16/5	S	10-08	4-062						4,441	#5 @12" V EF	
1139	MT	STRIP-C (2 LOCS)																		
1140	TR	BF		60	2			2*2*7	22/7	S	10-08	7-103						2,125	2 #7 V EF	
1141	MT	HORZ																		
1142	TR	LS		60		10-00	1-00	2*7	16/5	S	28-013				0	4-062	30-00	4,521	#5 @12" H EF	
1143	TR	BF		60		10-00	1-00	6*7	16/5	H	4-062	0-09	4-062					4,738	#5 @12" HAIRPINBAR	
1144	MT	LVL 11-ROOF																		
1145	MT	STRIP-A (4 LOCS)																		
1146	TR	BF		60	4			2*4	22/7	S	11-08	7-103						1,280	4 #7 V EF	
1147	MT	STRIP-B																		
1148	TR	BF		60		18-043	1-00	2	16/5	S	11-08	4-062						676	#5 @12" V EF	
1149	MT	STRIP-C (2 LOCS)																		
1150	TR	BF		60	2			2*2	22/7	S	11-08	7-103						320	2 #7 V EF	
1151	MT	HORZ																		
1152	TR	LS		60		11-00	1-00	2	16/5	S	28-013				0	4-062	30-00	705	#5 @12" H EF	
1153	TR	BF		60		11-00	1-00	6	16/5	H	4-062	0-09	4-062					738	#5 @12" HAIRPINBAR	
1154	MT	LVL ROOF- HIGH ROOF																		
1155	MT	STRIP-A (4 LOCS)																		
1156	TR	BF		60	4			2*4	22/7	H	11-06	S90						829	4 #7 V EF	
1157	MT	STRIP-B																		
1158	TR	BF		60		18-043	1-00	2	16/5	H	11-06	S90						515	#5 @12" V EF	
1159	MT	STRIP-C (2 LOCS)																		
1160	TR	BF		60	2			2*2	22/7	H	11-06	S90						207	2 #7 V EF	
1161	MT	HORZ																		
1162	TR	LS		60		11-00	1-00	2	16/5	S	28-013				0	4-062	30-00	705	#5 @12" H EF	
1163	TR	BF		60		11-00	1-00	6	16/5	H	4-062	0-09	4-062					738	#5 @12" HAIRPINBAR	
1164	MT	SHEAR WALL (SW #3)																		
1165	MT	FDN - LVL 2																		
1166	MT	STRIP-A (4 LOCS)																		
1167	TR	BF		60	4			2*4	32/10	S	20-00	9-073						4,082	4 #10 V EF	
1168	MT	STRIP-B																		
1169	TR	BF		60		63-00	1-00	2	16/5	S	15-00	3-092						2,509	#5 @12" V EF	
1170	TR	BF		60		66-04	1-00	2	16/5	S	5-00	3-092						1,247	#5 @12" V EF B OPNG	
1171	TR	BF		60		3-04	1-00	2	16/5	H	12-10	S90						143	#5 @12" V EF @AB	
1172	TR	BF		60	1			2*2	16/5	S	12-00							50	1 #5 V EF @OPNG	
1173	TR	BF		60	1			2	16/5	S	8-04							17	1 #5 H EF @OPNG	
1174	MT	HORZ																		
1175	TR	LS		60		7-00	1-00	2	16/5	S	74-09				0	3-092	30-00	1,375	#5 @12" H EF @OPNG	
1176	TR	LS		60		12-04	1-00	2	16/5	S	78-01				0	3-092	30-00	2,504	#5 @12" H EF B&AB	
1177	TR	BF		60		19-04	1-00	4	16/5	H	3-092	0-05	3-092					701	#5 @12" HAIRPINBAR	
1178	TR	BF		60		19-04	1-00	4	16/5	H	3-092	0-09	3-092					730	#5 @12" HAIRPINBAR	
1179	TR	BF		60		7-00	1-00		16/5	L	2S180	1-03	0-09	1-03				37	#5 @12" TIES	
1180	MT	LVL 2-3																		

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spccg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1181	MT	STRIP-A (4 LOCS)																		
1182	TR	BF		60	4			2*4	22/7	S	11-04	6-06						1,166	4 #7 V EF	
1183	MT	STRIP-B																		
1184	TR	BF		60		60-00	1-00	2	16/5	S	11-04	3-092						1,925	#5 @12" V EF	
1185	TR	BF		60		3-04	1-00	2	16/5	H	4-02	S90						52	#5 @12" V EF @AB	
1186	TR	BF		60	1			2*2	16/5	S	12-00							50	1 #5 V EF @OPNG	
1187	TR	BF		60	1			2	16/5	S	8-04							17	1 #5 H EF @OPNG	
1188	MT	HORZ																		
1189	TR	LS		60		7-00	1-00	2	16/5	S	74-09				0	3-092	30-00	1,375	#5 @12" H EF	
1190	TR	LS		60		3-08	1-00	2	16/5	S	78-01				0	3-092	30-00	894	#5 @12" H EF	
1191	TR	BF		60		10-08	1-00	4	16/5	H	3-092	0-05	3-092					401	#5 @12" HAIRPINBAR	
1192	TR	BF		60		10-08	1-00	4	16/5	H	3-092	0-09	3-092					417	#5 @12" HAIRPINBAR	
1193	TR	BF		60		7-00	1-00		16/5	L	2S180	1-03	0-09	1-03				37	#5 @12" TIES	
1194	MT	LVL 3-4																		
1195	MT	STRIP-A (4 LOCS)																		
1196	TR	BF		60	4			2*4	22/7	S	10-08	7-013						1,165	4 #7 V EF	
1197	MT	STRIP-B																		
1198	TR	BF		60		63-00	1-00	2	16/5	S	10-08	4-09						2,058	#5 @12" V EF	
1199	TR	BF		60		3-04	1-00	2	16/5	H	3-06	S90						45	#5 @12" V EF @AB	
1200	TR	BF		60	1			2*2	16/5	S	12-00							50	1 #5 V EF @OPNG	
1201	TR	BF		60	1			2	16/5	S	8-04							17	1 #5 H EF @OPNG	
1202	MT	HORZ																		
1203	TR	LS		60		7-00	1-00	2	16/5	S	74-09				0	4-09	30-00	1,406	#5 @12" H EF	
1204	TR	LS		60		3-00	1-00	2	16/5	S	78-01				0	4-09	30-00	731	#5 @12" H EF	
1205	TR	BF		60		10-00	1-00	4	16/5	H	4-09	0-05	4-09					455	#5 @12" HAIRPINBAR	
1206	TR	BF		60		10-00	1-00	4	16/5	H	4-09	0-09	4-09					471	#5 @12" HAIRPINBAR	
1207	TR	BF		60		7-00	1-00		16/5	L	2S180	1-03	0-09	1-03				37	#5 @12" TIES	
1208	MT	LVL 4-11 (7 LVLS)																		
1209	MT	STRIP-A (4 LOCS)																		
1210	TR	BF		60	4			2*4*7	22/7	S	10-08	7-103						8,499	4 #7 V EF	
1211	MT	STRIP-B																		
1212	TR	BF		60		63-00	1-00	2*7	16/5	S	10-08	4-062						14,211	#5 @12" V EF	
1213	TR	BF		60		3-04	1-00	2*7	16/5	H	3-06	S90						316	#5 @12" V EF @AB	
1214	TR	BF		60	1			2*2*7	16/5	S	12-00							350	1 #5 V EF @OPNG	
1215	TR	BF		60	1			2*7	16/5	S	8-04							122	1 #5 H EF @OPNG	
1216	MT	HORZ																		
1217	TR	LS		60		7-00	1-00	2	16/5	S	74-09				0	3-092	30-00	1,375	#5 @12" H EF	
1218	TR	LS		60		3-00	1-00	2	16/5	S	78-01				0	4-062	30-00	728	#5 @12" H EF	
1219	TR	BF		60		10-00	1-00	4*7	16/5	H	4-062	0-05	4-062					3,051	#5 @12" HAIRPINBAR	
1220	TR	BF		60		10-00	1-00	4*7	16/5	H	4-062	0-09	4-062					3,159	#5 @12" HAIRPINBAR	
1221	TR	BF		60		7-00	1-00	7	16/5	L	2S180	1-03	0-09	1-03				258	#5 @12" TIES	
1222	MT	LVL 11-ROOF																		
1223	MT	STRIP-A (4 LOCS)																		
1224	TR	BF		60	4			2*4	22/7	H	11-08	S90						839	4 #7 V EF	
1225	MT	STRIP-B																		
1226	TR	BF		60		63-00	1-00	2	16/5	H	11-08	S90						1,669	#5 @12" V EF	
1227	TR	BF		60		3-04	1-00	2	16/5	H	4-06	S90						56	#5 @12" V EF @AB	
1228	TR	BF		60	1			2*2	16/5	S	12-00							50	1 #5 V EF @OPNG	
1229	TR	BF		60	1			2	16/5	S	8-04							17	1 #5 H EF @OPNG	
1230	MT	HORZ																		
1231	TR	LS		60		7-00	1-00	2	16/5	S	74-00				0	4-062	30-00	1,388	#5 @12" H EF @OPNG	
1232	TR	LS		60		4-00	1-00	2	16/5	S	78-01				0	4-062	30-00	910	#5 @12" H EF	
1233	TR	BF		60		11-00	1-00	4	16/5	H	4-062	0-05	4-062					476	#5 @12" HAIRPINBAR	
1234	TR	BF		60		11-00	1-00	4	16/5	H	4-062	0-09	4-062					492	#5 @12" HAIRPINBAR	
1235	TR	BF		60		7-00	1-00		16/5	L	2S180	1-03	0-09	1-03				37	#5 @12" TIES	
1236	GI	Segment: MAIN BUILDING Sub-Segment: CIP WALLS User Dfnd: CAST IN PLACE																		
1237	MT	8" CIP CONCRETE WALL (GB-2)																		
1238	MT	FOUNDATIO TO 2ND FLOOR																		
1239	TR	BF		60		22-00	1-00	3	16/5	S	20-00	48D						1,619	#5 @12" V	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spog	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1240	TR	LS		60		19-06	1-00	3	16/5	S	22-00				0	3-04	30-00	1,446	#5 @12" H	
1241	MT	2ND FLOOR TO 3RD FLOOR																		
1242	TR	BF		60		22-00	1-00	3	16/5	H	14-11	S90						1,134	#5 @12" V	
1243	TR	LS		60		23-11	1-00	3	16/5	S	22-00				0	3-04	30-00	1,721	#5 @12" H	
1244	MT	12" THICK CONCRETE WALL (REF: S-206, D/S-500)																		
1245	TR	BF		60		159-09	1-00	2	16/5	H	S90	3-08						1,512	#5 @12" DWL. EF	
1246	TR	BF		60		159-09	1-00	2	16/5	H	11-06	S90						4,142	#5 @12" V EF	
1247	TR	LS		60		11-04	1-00	2	16/5	S	159-09				0	48D	30-00	4,671	#5 @12" H EF	
1248	TR	BF		60		11-04	1-00	4*2	16/5	H	2-06	2-06						542	#5 @12" COR. EF	
1249	GI	Segment: MAIN BUILDING Sub-Segment: CIP STAIRS User Dfnd: CAST IN PLACE																		
1250	MT	S201- CONC.STAIR																		
1251	MT	STAIR -A																		
1252	MT	REF-S400 & 1/A.321																		
1253	MT	LVL 1-2 (MID LANDING)																		
1254	TR	BF		60		5-06	0-06		16/5	H	S90	5-00	2-00					98	#5 @6" DWLS	
1255	TR	BF		60		5-06	0-06		16/5	H	14-03	2-00						203	#5 @6" B MAIN BAR	
1256	TR	BF		60		14-03	0-10		16/5	S	5-06							109	#5 @10" TEMP TRANS	
1257	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING	
1258	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING B	
1259	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING T	
1260	MT	LVL 1-2 (LANDING SLAB)																		
1261	TR	BF		60		5-06	0-06		16/5	H	11-06	2-00						169	#5 @6" B MAIN BAR	
1262	TR	BF		60		11-06	0-10		16/5	S	5-06							86	#5 @10" TEMP TRANS	
1263	TR	BF		60		7-03	0-10		16/5	S	11-02							116	#5 @10" @LANDING	
1264	TR	BF		60		11-05	0-06		16/5	S	7-03	2-00						232	#5 @6" @LANDING B	
1265	TR	BF		60		11-05	0-06		16/5	S	7-03	5-00						307	#5 @6" @LANDING T	
1266	MT	LVL 2-3 (MID LANDING)																		
1267	TR	BF		60		5-06	0-06		16/5	H	8-06	2-00						131	#5 @6" B MAIN BAR	
1268	TR	BF		60		8-06	0-10		16/5	S	5-06							69	#5 @10" TEMP TRANS	
1269	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING	
1270	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING B	
1271	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING T	
1272	MT	LVL 2-3 (LANDING SLAB)																		
1273	TR	BF		60		5-06	0-06		16/5	H	9-08	2-00						146	#5 @6" B MAIN BAR	
1274	TR	BF		60		9-08	0-10		16/5	S	5-06							75	#5 @10" TEMP TRANS	
1275	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING	
1276	TR	BF		60		11-05	0-06		16/5	S	7-04	2-00						234	#5 @6" @LANDING B	
1277	TR	BF		60		11-05	0-06		16/5	S	7-04	5-00						309	#5 @6" @LANDING T	
1278	MT	LVL 3-10 (MID LANDING) (7 LVLS)																		
1279	TR	BF		60		5-06	0-06	7	16/5	H	8-07	2-00						927	#5 @6" B MAIN BAR	
1280	TR	BF		60		8-07	0-10	7	16/5	S	5-06							482	#5 @10" TEMP TRANS	
1281	TR	BF		60		5-06	0-10	7	16/5	S	11-02							652	#5 @10" @LANDING	
1282	TR	BF		60		11-05	0-06	7	16/5	S	5-06	2-00						1,314	#5 @6" @LANDING B	
1283	TR	BF		60		11-05	0-06	7	16/5	S	5-06	2-00						1,314	#5 @6" @LANDING T	
1284	MT	LVL 3-10 (LANDING SLAB) (7 LVLS)																		
1285	TR	BF		60		5-06	0-06	7	16/5	H	8-10	2-00						949	#5 @6" B MAIN BAR	
1286	TR	BF		60		8-10	0-10	7	16/5	S	5-06							482	#5 @10" TEMP TRANS	
1287	TR	BF		60		5-06	0-10	7	16/5	S	11-02							652	#5 @10" @LANDING	
1288	TR	BF		60		11-05	0-06	7	16/5	S	8-03	2-00						1,797	#5 @6" @LANDING B	
1289	TR	BF		60		11-05	0-06	7	16/5	S	8-03	5-00						2,322	#5 @6" @LANDING T	
1290	MT	LVL 10-11 (MID LANDING)																		
1291	TR	BF		60		5-06	0-06		16/5	H	8-06	2-00						131	#5 @6" B MAIN BAR	
1292	TR	BF		60		8-06	0-10		16/5	S	5-06							69	#5 @10" TEMP TRANS	
1293	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING	
1294	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING B	
1295	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING T	
1296	MT	LVL 10-11 (LANDING SLAB)																		
1297	TR	BF		60		5-06	0-06		16/5	H	9-08	2-00						146	#5 @6" B MAIN BAR	
1298	TR	BF		60		9-08	0-10		16/5	S	5-06							75	#5 @10" TEMP TRANS	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes		
1299	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING		
1300	TR	BF		60		11-05	0-06		16/5	S	8-03	2-00						257	#5 @6" @LANDING B		
1301	TR	BF		60		11-05	0-06		16/5	S	8-03	5-00						332	#5 @6" @LANDING T		
1302	MT	LVL 11-ROOF (LANDING)																			
1303	TR	BF		60		5-06	0-06		16/5	H	12-00	2-00						175	#5 @6" B MAIN BAR		
1304	TR	BF		60		9-08	0-10		16/5	S	5-06							75	#5 @10" TEMP TRANS		
1305	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING		
1306	TR	BF		60		11-05	0-06		16/5	S	8-03	2-00						257	#5 @6" @LANDING B		
1307	TR	BF		60		11-05	0-06		16/5	S	8-03	5-00						332	#5 @6" @LANDING T		
1308	TR	BF		60	240				16/5	H	0-09	S90						397	#5 @6" T FEMALE		
1309	TR	BF		60	240				16/5	S	2-06							626	#5 @6" T MALE		
1310	TI	Pcs			240				#5 FORM SAVER											0	#5 @6" T FEMALE S90X9
1311	TI	Pcs			240				#5 FORM SAVER											0	#5 @6" T MALE 2-06
1312	MT	STAIR-B																			
1313	MT	REF-S400 & 1/A.321																			
1314	MT	LVL 1-2 (MID LANDING)																			
1315	TR	BF		60		5-06	0-06		16/5	H	S90	5-00	2-00					98	#5 @6" DWLS		
1316	TR	BF		60		5-06	0-06		16/5	H	10-08	2-00						159	#5 @6" B MAIN BAR		
1317	TR	BF		60		10-08	0-10		16/5	S	5-06							80	#5 @10" TEMP TRANS		
1318	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING		
1319	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING B		
1320	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING T		
1321	MT	LVL 1-2 (LANDING SLAB)																			
1322	TR	BF		60		5-06	0-06		16/5	H	11-06	2-00						169	#5 @6" B MAIN BAR		
1323	TR	BF		60		11-06	0-10		16/5	S	5-06							86	#5 @10" TEMP TRANS		
1324	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING		
1325	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING B		
1326	TR	BF		60		11-05	0-06		16/5	S	5-06							138	#5 @6" @LANDING T		
1327	MT	LVL 2-3 (MID LANDING)																			
1328	TR	BF		60		5-06	0-06		16/5	H	8-06	2-00						131	#5 @6" B MAIN BAR		
1329	TR	BF		60		8-06	0-10		16/5	S	5-06							69	#5 @10" TEMP TRANS		
1330	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING		
1331	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING B		
1332	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING T		
1333	MT	LVL 2-3 (LANDING SLAB)																			
1334	TR	BF		60		5-06	0-06		16/5	H	9-08	2-00						146	#5 @6" B MAIN BAR		
1335	TR	BF		60		9-08	0-10		16/5	S	5-06							75	#5 @10" TEMP TRANS		
1336	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING		
1337	TR	BF		60		11-05	0-06		16/5	S	7-03	2-00						232	#5 @6" @LANDING B		
1338	TR	BF		60		11-05	0-06		16/5	S	7-03							181	#5 @6" @LANDING T		
1339	MT	LVL 3-10 (MID LANDING) (7 LVLS)																			
1340	TR	BF		60		5-06	0-06	7	16/5	H	8-06	2-00						920	#5 @6" B MAIN BAR		
1341	TR	BF		60		8-06	0-10	7	16/5	S	5-06							482	#5 @10" TEMP TRANS		
1342	TR	BF		60		5-06	0-10	7	16/5	S	11-02							652	#5 @10" @LANDING		
1343	TR	BF		60		11-05	0-06	7	16/5	S	5-06	2-00						1,314	#5 @6" @LANDING B		
1344	TR	BF		60		11-05	0-06	7	16/5	S	5-06	2-00						1,314	#5 @6" @LANDING T		
1345	MT	LVL 3-10 (LANDING SLAB) (7 LVLS)																			
1346	TR	BF		60		5-06	0-06	7	16/5	H	8-10	2-00						949	#5 @6" B MAIN BAR		
1347	TR	BF		60		8-10	0-10	7	16/5	S	5-06							482	#5 @10" TEMP TRANS		
1348	TR	BF		60		5-06	0-10	7	16/5	S	11-02							652	#5 @10" @LANDING		
1349	TR	BF		60		11-05	0-06	7	16/5	S	7-03	2-00						1,621	#5 @6" @LANDING B		
1350	TR	BF		60		11-05	0-06	7	16/5	S	7-03							1,270	#5 @6" @LANDING T		
1351	MT	LVL 10-11 (MID LANDING)																			
1352	TR	BF		60		5-06	0-06		16/5	H	8-06	2-00						131	#5 @6" B MAIN BAR		
1353	TR	BF		60		8-06	0-10		16/5	S	5-06							69	#5 @10" TEMP TRANS		
1354	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING		
1355	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING B		
1356	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING T		
1357	MT	LVL 10-11 (LANDING SLAB)																			

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes													
1358	TR	BF		60		5-06	0-06		16/5	H	9-08	2-00						146	#5 @6" B MAIN BAR													
1359	TR	BF		60		9-08	0-10		16/5	S	5-06							75	#5 @10" TEMP TRANS													
1360	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING													
1361	TR	BF		60		11-05	0-06		16/5	S	6-04	2-00						209	#5 @6" @LANDING B													
1362	TR	BF		60		11-05	0-06		16/5	S	6-04							159	#5 @6" @LANDING T													
1363	MT	LVL 11-ROOF (MID LANDING)																														
1364	TR	BF		60		5-06	0-06		16/5	H	8-10	2-00						136	#5 @6" B MAIN BAR													
1365	TR	BF		60		8-06	0-10		16/5	S	5-06							69	#5 @10" TEMP TRANS													
1366	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING													
1367	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING B													
1368	TR	BF		60		11-05	0-06		16/5	S	5-06	2-00						188	#5 @6" @LANDING T													
1369	MT	LVL 11-ROOF (LANDING)																														
1370	TR	BF		60		5-06	0-06		16/5	H	9-08	2-00						146	#5 @6" B MAIN BAR													
1371	TR	BF		60		9-08	0-10		16/5	S	5-06							75	#5 @10" TEMP TRANS													
1372	TR	BF		60		5-06	0-10		16/5	S	11-02							93	#5 @10" @LANDING													
1373	TR	BF		60		11-05	0-06		16/5	S	6-06	2-00						213	#5 @6" @LANDING B													
1374	TR	BF		60		11-05	0-06		16/5	S	6-06							163	#5 @6" @LANDING T													
1375	TR	BF		60	528				16/5	H	0-09	S90						873	#5 @6" T FEMALE													
1376	TR	BF		60	528				16/5	S	2-06							1,377	#5 @6" T MALE													
1377	TI	Pcs		528					#5 FORM SAVER																							
1378	TI	Pcs		528					#5 FORM SAVER																							
1379	MT	STAIR -C																														
1380	MT	REF-1/A.323																														
1381	MT	LVL 1-2 (MID LANDING)																														
1382	TR	BF		60		5-06	0-06		16/5	H	S90	5-00	2-00					98	#5 @6" DWLS													
1383	TR	BF		60		4-00	0-06		16/5	H	10-01	2-00						113	#5 @6" B MAIN BAR													
1384	TR	BF		60		10-01	0-10		16/5	S	4-00							58	#5 @10" TEMP TRANS													
1385	TR	BF		60		4-00	0-10		16/5	S	9-04							58	#5 @10" @LANDING													
1386	TR	BF		60		9-07	0-06		16/5	S	4-00	2-00						131	#5 @6" @LANDING B													
1387	TR	BF		60		9-07	0-06		16/5	H	4-00	2-00	S90					150	#5 @6" @LANDING T													
1388	MT	LVL 1-2 (LANDING SLAB)																														
1389	TR	BF		60		4-00	0-06		16/5	H	9-00	2-00						103	#5 @6" B MAIN BAR													
1390	TR	BF		60		9-00	0-10		16/5	S	4-00							50	#5 @10" TEMP TRANS													
1391	TR	BF		60		4-00	0-10		16/5	S	9-07							60	#5 @10" @LANDING													
1392	TR	BF		60		9-07	0-06		16/5	S	5-05	2-00						162	#5 @6" @LANDING B													
1393	TR	BF		60		9-07	0-06		16/5	H	5-05	S90						137	#5 @6" @LANDING T													
1394	MT	LVL 2-3 (MID LANDING)																														
1395	TR	BF		60		4-00	0-06		16/5	H	12-00	2-00						131	#5 @6" B MAIN BAR													
1396	TR	BF		60		12-00	0-10		16/5	S	4-00							67	#5 @10" TEMP TRANS													
1397	TR	BF		60		4-00	0-10		16/5	S	9-04							58	#5 @10" @LANDING													
1398	TR	BF		60		9-07	0-06		16/5	S	4-00	2-00						131	#5 @6" @LANDING B													
1399	TR	BF		60		9-07	0-06		16/5	H	4-00	2-00	S90					150	#5 @6" @LANDING T													
1400	MT	LVL 2-3 (LANDING SLAB)																														
1401	TR	BF		60		4-00	0-06		16/5	H	15-08	2-00						166	#5 @6" B MAIN BAR													
1402	TR	BF		60		15-08	0-10		16/5	S	4-00							83	#5 @10" TEMP TRANS													
1403	TR	BF		60		4-00	0-10		16/5	S	9-07							60	#5 @10" @LANDING													
1404	TR	BF		60		9-07	0-06		16/5	S	5-05	2-00						162	#5 @6" @LANDING B													
1405	TR	BF		60		9-07	0-06		16/5	H	5-05	S90						137	#5 @6" @LANDING T													
1406	GI	Segment: MAIN BUILDING Sub-Segment: MASONRY WALL User Dfnd: MASONRY																														
1407	MT	MASONRY WALL (8" THICK) (REF: S-100, S-102)																														
1408	MT	SOG TO 2ND FLOOR																														
1409	TR	LS		60		120-00	4-00		16/5	H	14-10	S90			0	48D	7-06	668	#5 @48" V													
1410	TR	LS		60	1			6	16/5	H	14-10	S90			0	48D	7-06	129	1 #5 COR V													
1411	TR	LS		60	1			3	16/5	H	14-10	S90			0	48D	7-06	65	1 #5 END V													
1412	TR	LS		60		107-02	1-04		19/6	H	14-10	S90			0	48D	8-00	2,689	#6 @16" V													
1413	TR	LS		60	1			3	19/6	H	14-10	S90			0	48D	8-00	98	1 #6 COR V													
1414	TR	LS		60	1			3	19/6	H	14-10	S90			0	48D	8-00	98	1 #6 JAMB V													
1415	MT	FOUNDATION TO 2ND FLOOR (REF: S-200, S201, S-202)																														
1416	TR	LS		60		201-03	1-04		19/6	S	17-00			48D	0	48D	8-00	6,620	#6 @16" V													

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spccg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1417	TR	LS		60		27-08	1-04		19/6	S	7-00			48D	0	48D	8-00	430	#6 @16" V
1418	TR	LS		60	1			52	19/6	S	17-00			48D	0	48D	8-00	2,265	1 #6 JAMB V
1419	TR	LS		60	1			4	19/6	H	7-00	S90	S90		0	48D	8-00	72	1 #6 JAMB V
1420	TR	LS		60		39-06	1-04		19/6	S	7-00			48D	0	48D	8-00	605	#6 @16" V AB OPNG
1421	TR	LS		60		137-06	1-04		19/6	H	7-00	S90	S90		0	48D	8-00	1,892	#6 @16" V AB OPNG
1422	TR	LS		60	1				16/5	S	265-09				0	48D	20-00	316	1 #5 LINTEL
1423	MT	2ND TO 3RD FLOOR (REF: S-202, S-203)																	
1424	TR	LS		60		33-04	4-00		16/5	S	11-04			48D	0	48D	7-06	196	#5 @48" V
1425	TR	LS		60		167-00	4-00		16/5	H	11-02	S90			0	48D	7-06	650	#5 @48" V
1426	TR	BF		60		189-10	4-00		16/5	H	S90	3-00						196	#5 @48" DWL
1427	TR	BF		60	1			8	16/5	H	S90	3-00						32	1 #5 COR DWL
1428	TR	BF		60	1			32	16/5	H	S90	3-00						128	1 #5 JAMB DWL
1429	TR	LS		60		189-10	4-00		16/5	H	11-02	S90		0	48D	7-06	741	#5 @48" V	
1430	TR	LS		60	1			8	16/5	H	11-02	S90		0	48D	7-06	121	1 #5 COR V	
1431	TR	LS		60	1			32	16/5	H	11-02	S90		0	48D	7-06	484	1 #5 JAMB V	
1432	TR	LS		60	1				16/5	S	122-04			0	48D	20-00	143	1 #5 LINTEL	
1433	TR	LS		60	1				16/5	S	180-00			0	48D	20-00	214	1 #5 SILL	
1434	MT	3RD TO 4TH FLOOR (REF: S-203, S-204)																	
1435	TR	LS		60		33-04	4-00		16/5	S	10-08			48D	0	48D	7-06	189	#5 @48" V
1436	TR	BF		60		48-00	2-08		16/5	H	S90	3-00						76	#5 @32" DWL
1437	TR	BF		60		159-00	4-00		16/5	H	S90	3-00						164	#5 @48" DWL
1438	TR	BF		60		193-01	4-00		16/5	H	S90	2-03						161	#5 @48" D/V BLW
1439	TR	BF		60	1			4	16/5	H	S90	3-00						16	1 #5 COR DWL
1440	TR	BF		60	1			48	16/5	H	S90	3-00						192	1 #5 JAMB DWL
1441	TR	LS		60		48-00	2-08		16/5	S	10-08			48D	0	48D	7-06	360	#5 @32" V
1442	TR	LS		60		42-04	4-00		16/5	S	10-08			48D	0	48D	7-06	227	#5 @48" V
1443	TR	LS		60		68-08	4-00		16/5	H	10-06	S90		0	48D	7-06	274	#5 @48" V	
1444	TR	LS		60		241-00	4-00		16/5	H	2-06	S90	S90	0	48D	7-06	269	#5 @48" V AB OPNG	
1445	TR	LS		60	1			4	16/5	S	10-08			48D	0	48D	7-06	76	1 #5 COR V
1446	TR	LS		60	1			56	16/5	S	10-08			48D	0	48D	7-06	1,061	1 #5 JAMB V
1447	TR	LS		60	1				16/5	S	118-06			0	48D	20-00	139	1 #5 SILL	
1448	TR	LS		60	1				16/5	S	318-06			0	48D	20-00	379	1 #5 LINTEL	
1449	MT	4TH TO 6TH FLOOR (REF: S-203, S-204) (2 LEVELS)																	
1450	TR	LS		60		33-04	4-00	2	16/5	S	10-08			48D	0	48D	7-06	379	#5 @48" V
1451	TR	LS		60		42-04	4-00	2	16/5	S	10-08			48D	0	48D	7-06	455	#5 @48" V
1452	TR	LS		60		48-00	2-08	2	16/5	S	10-08			48D	0	48D	7-06	720	#5 @32" V
1453	TR	LS		60		293-06	4-00	2	16/5	H	2-06	S90	S90	0	48D	7-06	652	#5 @48" V AB OPNG	
1454	TR	LS		60	1			2*4	16/5	S	10-08			48D	0	48D	7-06	152	1 #5 COR V
1455	TR	LS		60	1			2*56	16/5	S	10-08			48D	0	48D	7-06	2,122	1 #5 JAMB V
1456	TR	LS		60	1			2	16/5	S	308-09			0	48D	20-00	733	1 #5 SILL	
1457	TR	LS		60	1			2	16/5	S	330-06			0	48D	20-00	783	1 #5 LINTEL	
1458	MT	6TH TO 7TH FLOOR (REF: S-204, S-205)																	
1459	TR	LS		60		33-04	4-00		16/5	S	10-08			48D	0	48D	7-06	189	#5 @48" V
1460	TR	LS		60		42-04	4-00		16/5	S	10-08			48D	0	48D	7-06	227	#5 @48" V
1461	TR	LS		60		48-00	2-08		16/5	S	10-08			48D	0	48D	7-06	360	#5 @32" V
1462	TR	LS		60		293-06	4-00		16/5	H	2-06	S90	S90	0	48D	7-06	326	#5 @48" V AB OPNG	
1463	TR	LS		60	1			4	16/5	S	10-08			48D	0	48D	7-06	76	1 #5 COR V
1464	TR	LS		60	1			56	16/5	S	10-08			48D	0	48D	7-06	1,061	1 #5 JAMB V
1465	TR	LS		60	1				16/5	S	308-09			0	48D	20-00	366	1 #5 SILL	
1466	TR	LS		60	1				16/5	S	330-06			0	48D	20-00	392	1 #5 LINTEL	
1467	MT	7TH TO 10TH FLOOR (REF: S-205, S-206) (3 LEVELS)																	
1468	TR	LS		60		33-04	4-00	3	16/5	S	10-08			48D	0	48D	7-06	568	#5 @48" V
1469	TR	LS		60		42-04	4-00	3	16/5	S	10-08			48D	0	48D	7-06	682	#5 @48" V
1470	TR	LS		60		48-00	2-08	3	16/5	S	10-08			48D	0	48D	7-06	1,080	#5 @32" V
1471	TR	LS		60		293-06	4-00	3	16/5	H	2-06	S90	S90	0	48D	7-06	978	#5 @48" V AB OPNG	
1472	TR	LS		60	1			3*4	16/5	S	10-08			48D	0	48D	7-06	227	1 #5 COR V
1473	TR	LS		60	1			3*56	16/5	S	10-08			48D	0	48D	7-06	3,183	1 #5 JAMB V
1474	TR	LS		60	1			3	16/5	S	308-09			0	48D	20-00	1,099	1 #5 SILL	
1475	TR	LS		60	1			3	16/5	S	330-06			0	48D	20-00	1,175	1 #5 LINTEL	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1476	MT	10TH TO 11TH FLOOR (REF: S-206, S-207)																		
1477	TR	LS		60		33-04	4-00		16/5	S	10-08			48D	0	48D	7-06	189	#5 @48" V	
1478	TR	LS		60		12-06	4-00		16/5	S	10-08			48D	0	48D	7-06	95	#5 @48" V	
1479	TR	LS		60		29-10	4-00		16/5	H	10-06	S90		48D	0	48D	7-06	177	#5 @48" V	
1480	TR	LS		60		48-00	2-08		16/5	H	10-06	S90			0	48D	7-06	274	#5 @32" V	
1481	TR	LS		60		270-08	4-00		16/5	H	2-06	S90	S90		0	48D	7-06	300	#5 @48" V AB OPNG	
1482	TR	LS		60		22-10	4-00		16/5	H	2-06	S90		48D	0	48D	7-06	43	#5 @48" V AB OPNG	
1483	TR	LS		60	1			4	16/5	H	10-06	S90			0	48D	7-06	58	1 #5 COR V	
1484	TR	LS		60	1			56	16/5	H	10-06	S90			0	48D	7-06	808	1 #5 JAMB V	
1485	TR	LS		60	1				16/5	S	308-09				0	48D	20-00	366	1 #5 SILL	
1486	TR	LS		60	1				16/5	S	330-06				0	48D	20-00	392	1 #5 LINTEL	
1487	MT	11TH TO ROOF FLOOR (REF: S-207, S-208)																		
1488	TR	LS		60		33-04	4-00		16/5	S	11-08			48D	0	48D	7-06	200	#5 @48" V	
1489	TR	LS		60		12-06	4-00		16/5	H	11-06	S90			0	48D	7-06	77	#5 @48" V	
1490	TR	BF		60		106-10	4-00		16/5	H	S90	3-00						112	#5 @48" DWL	
1491	TR	BF		60	1			5	16/5	H	S90	3-00						20	1 #5 COR DWL	
1492	TR	BF		60	1			18	16/5	H	S90	3-00						72	1 #5 JAMB DWL	
1493	TR	BF		60		52-00	4-00		16/5	H	2S90	2-09						64	#5 @48" D/V BLW	
1494	TR	LS		60		106-10	4-00		16/5	H	11-06	S90			0	48D	7-06	433	#5 @48" V	
1495	TR	LS		60	1			5	16/5	H	11-06	S90			0	48D	7-06	77	1 #5 COR V	
1496	TR	LS		60	1			18	16/5	H	11-06	S90			0	48D	7-06	278	1 #5 JAMB V	
1497	TR	BF		60		72-08	4-00		16/5	H	2S90	3-06						108	#5 @48" V AB OPNG	
1498	TR	LS		60	1				16/5	S	56-00				0	48D	20-00	66	1 #5 SILL	
1499	TR	LS		60	1				16/5	S	88-00				0	48D	20-00	102	1 #5 LINTEL	
1500	MT	ROOF TO HIGH ROOF (REF: S-208)																		
1501	TR	LS		60		25-08	4-00		16/5	H	8-00	S90			0	48D	7-06	95	#5 @48" V	
1502	TR	LS		60		24-08	4-00		16/5	H	4-08	S90			0	48D	7-06	46	#5 @48" V	
1503	GI	Segment: MAIN BUILDING Sub-Segment: ELEVATED DECKS User Dfnd: CAST IN P...																		
1504	MT	2ND FLOOR PT SLAB (8" THICK) (REF: S-202, S-102)																		
1505	TR	LS		E60	1			2	16/5	S	541-09				0	48D	30-00	1,229	1 #5 T&B CONT.	
1506	TR	BF		E60	1			2*2	16/5	H	2-06	2-06						21	1 #5 T&B COR.	
1507	MT	SLAB ADDITIONAL REINFORCEMENT																		
1508	TR	LS		60	9			2	13/4	S	75-00				0	48D	30-00	950	9 #4 @12" ADD'L	
1509	TR	LS		60	9			6	13/4	S	36-00				0	48D	30-00	1,371	9 #4 @12" ADD'L	
1510	TR	BF		60		240-04	1-00		13/4	H	S90	4-00						754	#4 @12" T	
1511	TR	BF		60	5			7	13/4	H	S90	4-09						127	5 #4 @12" ADD'L	
1512	TR	BF		60	5			4	13/4	S	10-06							140	5 #4 @12" ADD'L	
1513	TR	BF		60	5				13/4	S	21-00							70	5 #4 @12" ADD'L	
1514	TR	BF		60	5				13/4	H	S90	6-09						25	5 #4 @12" ADD'L	
1515	TR	BF		60	5				13/4	H	S90	18-09						65	5 #4 @12" ADD'L	
1516	TR	BF		60	5			2	13/4	S	9-06							63	5 #4 @12" ADD'L	
1517	TR	BF		60	5			3	13/4	S	10-00							100	5 #4 @12" ADD'L	
1518	TR	BF		60	5				13/4	S	22-00							73	5 #4 @12" ADD'L	
1519	TR	BF		60	5				13/4	H	S90	6-09						25	5 #4 @12" ADD'L	
1520	TR	BF		60	5			6	13/4	S	10-06							210	5 #4 @12" ADD'L	
1521	TR	BF		60	5				13/4	H	S90	4-00						16	5 #4 @12" ADD'L	
1522	TR	BF		60	5				13/4	S	11-09							39	5 #4 @12" ADD'L	
1523	TR	BF		60	5			2	13/4	S	10-00							67	5 #4 @12" ADD'L	
1524	TR	BF		60	5				13/4	S	10-06							35	5 #4 @12" ADD'L	
1525	TR	BF		60	5				13/4	S	10-00							33	5 #4 @12" ADD'L	
1526	TR	BF		60	5			2	13/4	H	S90	18-09						130	5 #4 @12" ADD'L	
1527	TR	BF		60	5			9	13/4	S	9-09							293	5 #4 @12" ADD'L	
1528	TR	BF		60	5			8	13/4	S	10-06							281	5 #4 @12" ADD'L	
1529	TR	BF		60	5				13/4	S	26-00							87	5 #4 @12" ADD'L	
1530	TR	BF		60	5				13/4	H	S90	8-06						31	5 #4 @12" ADD'L	
1531	TR	BF		60	5				13/4	H	S90	5-06						21	5 #4 @12" ADD'L	
1532	TR	BF		60	5				13/4	H	S90	8-06						31	5 #4 @12" ADD'L	
1533	TR	BF		60	5			5	13/4	H	S90	4-09						90	5 #4 @12" ADD'L	
1534	TR	BF		60	5				13/4	H	S90	12-00						42	5 #4 @12" ADD'L	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1535	MT	3RD FLOOR PT SLAB (8" THICK) (REF: S-203, S-102)																	
1536	TR	LS		E60	1			2	16/5	S	541-09				0	48D	30-00	1,229	1 #5 T&B CONT.
1537	TR	BF		E60	1			2*2	16/5	H	2-06	2-06						21	1 #5 T&B COR.
1538	TR	LS		60	4			2	25/8	S	346-03				0	48D	30-00	8,507	4 #8 T&B CONT.
1539	TR	BF		60		346-00	2-00	2*2	13/4	S	8-00							3,719	#4 @24" T&B 8'-0"
1540	TR	TA		60		346-00	24-00		10/3	L	4-00	2-01		0-012	0			71	#3 @24" TIES
1541	TR	BF		60		346-00	2-00	2	13/4	L	S135	1-00	S90					407	#4 @24" LINKS
1542	MT	8" THICK HOUSE KEEPING PADS																	
1543	TR	RA		60		1-00	1-00		13/4	S	18-08	11-04				48D	30-00	313	#4 @12" B EW
1544	TR	RA		60		1-00	1-00	2	13/4	S	14-04	5-08				48D	30-00	255	#4 @12" B EW
1545	MT	OPING ADD'L																	
1546	TR	BF		60	1			32	16/5	S	2-06							83	1 #5 DIAG
1547	TR	BF		60	1			2*2	16/5	S	7-06							31	1 #5 T&B ES OPNG
1548	TR	BF		60	1			2*2	16/5	S	6-00							25	1 #5 T&B ES OPNG
1549	TR	BF		60	1			2*2	16/5	S	7-03							30	1 #5 T&B ES OPNG
1550	TR	BF		60	1			2*2	16/5	S	6-09							28	1 #5 T&B ES OPNG
1551	TR	BF		60	1			2*2	16/5	S	6-00							25	1 #5 T&B ES OPNG
1552	TR	BF		60	1			2*2	16/5	S	7-09							32	1 #5 T&B ES OPNG
1553	TR	BF		60	1			2*2	16/5	S	6-00							25	1 #5 T&B ES OPNG
1554	TR	BF		60	1			2*2	16/5	H	6-09	S90						32	1 #5 T&B ES OPNG
1555	TR	BF		60	1			2*2	16/5	S	7-06							31	1 #5 T&B ES OPNG
1556	TR	BF		60	1			2*2	16/5	S	6-00							25	1 #5 T&B ES OPNG
1557	TR	BF		60	1			2*2	16/5	S	7-04							31	1 #5 T&B ES OPNG
1558	TR	BF		60	1			2*2	16/5	S	6-09							28	1 #5 T&B ES OPNG
1559	TR	BF		60	1			2*2	16/5	S	7-06							31	1 #5 T&B ES OPNG
1560	TR	BF		60	1			2*2	16/5	S	6-00							25	1 #5 T&B ES OPNG
1561	TR	BF		60	1			2*2	16/5	S	7-06							31	1 #5 T&B ES OPNG
1562	TR	BF		60	1			2*2	16/5	S	6-00							25	1 #5 T&B ES OPNG
1563	MT	SLAB ADDITIONAL REINFORCEMENT																	
1564	TR	LS		60	9			2	13/4	S	75-00				0	48D	30-00	950	9 #4 @12" ADD'L
1565	TR	LS		60	9			6	13/4	S	36-00				0	48D	30-00	1,371	9 #4 @12" ADD'L
1566	TR	BF		60		240-04	1-00		13/4	H	S90	4-00						754	#4 @12" T
1567	TR	BF		60	5			7	13/4	H	S90	4-09						127	5 #4 @12" ADD'L
1568	TR	BF		60	5			4	13/4	S	10-06							140	5 #4 @12" ADD'L
1569	TR	BF		60	5				13/4	S	21-00							70	5 #4 @12" ADD'L
1570	TR	BF		60	5				13/4	H	S90	6-09						25	5 #4 @12" ADD'L
1571	TR	BF		60	5				13/4	H	S90	18-09						65	5 #4 @12" ADD'L
1572	TR	BF		60	5			2	13/4	S	9-06							63	5 #4 @12" ADD'L
1573	TR	BF		60	5			3	13/4	S	10-00							100	5 #4 @12" ADD'L
1574	TR	BF		60	5				13/4	S	22-00							73	5 #4 @12" ADD'L
1575	TR	BF		60	5				13/4	H	S90	6-09						25	5 #4 @12" ADD'L
1576	TR	BF		60	5			6	13/4	S	10-06							210	5 #4 @12" ADD'L
1577	TR	BF		60	5				13/4	H	S90	4-00						16	5 #4 @12" ADD'L
1578	TR	BF		60	5				13/4	S	11-09							39	5 #4 @12" ADD'L
1579	TR	BF		60	5			2	13/4	S	10-00							67	5 #4 @12" ADD'L
1580	TR	BF		60	5				13/4	S	10-06							35	5 #4 @12" ADD'L
1581	TR	BF		60	5				13/4	S	10-00							33	5 #4 @12" ADD'L
1582	TR	BF		60	5			2	13/4	H	S90	18-09						130	5 #4 @12" ADD'L
1583	TR	BF		60	5			9	13/4	S	9-09							293	5 #4 @12" ADD'L
1584	TR	BF		60	5			8	13/4	S	10-06							281	5 #4 @12" ADD'L
1585	TR	BF		60	5				13/4	S	26-00							87	5 #4 @12" ADD'L
1586	TR	BF		60	5				13/4	H	S90	8-06						31	5 #4 @12" ADD'L
1587	TR	BF		60	5				13/4	H	S90	5-06						21	5 #4 @12" ADD'L
1588	TR	BF		60	5				13/4	H	S90	8-06						31	5 #4 @12" ADD'L
1589	TR	BF		60	5			5	13/4	H	S90	4-09						90	5 #4 @12" ADD'L
1590	TR	BF		60	5				13/4	H	S90	12-00						42	5 #4 @12" ADD'L
1591	MT	8" THICK AUTO LIFT CONCRETE SLAB (REF: S-203)																	
1592	TR	RA		60		1-00	1-00		13/4	H	30-00	22-03	S90	S90	S90	48D	30-00	990	#4 @12" EW
1593	MT	4TH TO 6TH FLOOR PT SLAB (8" THICK) (3 LEVELS) (REF: S-204, S-102)																	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1594	TR	LS		E60	1			3*2	16/5	S	455-00				0	48D	30-00	3,098	1 #5 T&B CONT.
1595	TR	BF		E60	1			3*16*2	16/5	H	2-06	2-06						501	1 #5 T&B COR.
1596	TR	BF		60	1			3*14*2	16/5	S	5-00							438	1 #5 T&B ADD'L
1597	MT	OPING ADD'L																	
1598	TR	BF		60	1			3*48	16/5	S	2-06							375	1 #5 DIAG
1599	TR	BF		60	1			3*2*2	16/5	S	7-06							94	1 #5 T&B ES OPNG
1600	TR	BF		60	1			3*2*2	16/5	S	6-00							75	1 #5 T&B ES OPNG
1601	TR	BF		60	1			3*3*4	16/5	S	7-00							263	1 #5 T&B ES OPNG
1602	TR	BF		60	1			3*3*4	16/5	S	7-04							275	1 #5 T&B ES OPNG
1603	TR	BF		60	1			3*2*2	16/5	S	7-00							88	1 #5 T&B ES OPNG
1604	TR	BF		60	1			3*2*2	16/5	S	7-06							94	1 #5 T&B ES OPNG
1605	TR	BF		60	1			3*2*2	16/5	S	6-00							75	1 #5 T&B ES OPNG
1606	TR	BF		60	1			3*2*2	16/5	S	7-06							94	1 #5 T&B ES OPNG
1607	TR	BF		60	1			3*3*4	16/5	S	7-00							263	1 #5 T&B ES OPNG
1608	TR	BF		60	1			3*3*4	16/5	S	7-06							282	1 #5 T&B ES OPNG
1609	TR	BF		60	1			3*2*4	16/5	H	7-00	S90						196	1 #5 T&B ES OPNG
1610	TR	BF		60	1			3*2*4	16/5	H	7-06	S90						209	1 #5 T&B ES OPNG
1611	MT	SLAB ADDITIONAL REINFORCEMENT																	
1612	TR	LS		60	9			3*2	13/4	S	75-00				0	48D	30-00	2,850	9 #4 @12" ADD'L
1613	TR	LS		60	9			3*6	13/4	S	36-00				0	48D	30-00	4,112	9 #4 @12" ADD'L
1614	TR	BF		60		240-04	1-00	3	13/4	H	S90	4-00						2,263	#4 @12" T
1615	TR	BF		60	10			3*2	13/4	S	9-03							371	10 #4 @12" ADD'L
1616	TR	BF		60	10			3*2	13/4	H	S90	5-06						247	10 #4 @12" ADD'L
1617	TR	BF		60	10			3*2*4	13/4	S	10-03							1,643	10 #4 @12" ADD'L
1618	TR	BF		60	10			3*2*4	13/4	S	10-00							1,603	10 #4 @12" ADD'L
1619	TR	BF		60	11			3*2	13/4	S	10-03							452	11 #4 @12" ADD'L
1620	TR	BF		60	11			3*2	13/4	H	S90	6-09						327	11 #4 @12" ADD'L
1621	TR	BF		60	10			3*2	13/4	S	10-00							401	10 #4 @12" ADD'L
1622	TR	BF		60	10			3*2	13/4	H	S90	4-03						197	10 #4 @12" ADD'L
1623	MT	7TH TO 9TH FLOOR PT SLAB (8" THICK) (3 LEVELS) (REF: S-205, S-102)																	
1624	TR	LS		E60	1			3*2	16/5	S	455-00				0	48D	30-00	3,098	1 #5 T&B CONT.
1625	TR	BF		E60	1			3*16*2	16/5	H	2-06	2-06						501	1 #5 T&B COR.
1626	TR	BF		60	1			3*14*2	16/5	S	5-00							438	1 #5 T&B ADD'L
1627	MT	OPING ADD'L																	
1628	TR	BF		60	1			3*48	16/5	S	2-06							375	1 #5 DIAG
1629	TR	BF		60	1			3*2*2	16/5	S	7-06							94	1 #5 T&B ES OPNG
1630	TR	BF		60	1			3*2*2	16/5	S	6-00							75	1 #5 T&B ES OPNG
1631	TR	BF		60	1			3*3*4	16/5	S	7-00							263	1 #5 T&B ES OPNG
1632	TR	BF		60	1			3*3*4	16/5	S	7-04							275	1 #5 T&B ES OPNG
1633	TR	BF		60	1			3*2*2	16/5	S	7-00							88	1 #5 T&B ES OPNG
1634	TR	BF		60	1			3*2*2	16/5	S	7-06							94	1 #5 T&B ES OPNG
1635	TR	BF		60	1			3*2*2	16/5	S	6-00							75	1 #5 T&B ES OPNG
1636	TR	BF		60	1			3*2*2	16/5	S	7-06							94	1 #5 T&B ES OPNG
1637	TR	BF		60	1			3*3*4	16/5	S	7-00							263	1 #5 T&B ES OPNG
1638	TR	BF		60	1			3*3*4	16/5	S	7-06							282	1 #5 T&B ES OPNG
1639	TR	BF		60	1			3*2*4	16/5	H	7-00	S90						196	1 #5 T&B ES OPNG
1640	TR	BF		60	1			3*2*4	16/5	H	7-06	S90						209	1 #5 T&B ES OPNG
1641	MT	SLAB ADDITIONAL REINFORCEMENT																	
1642	TR	LS		60	9			3*2	13/4	S	75-00				0	48D	30-00	2,850	9 #4 @12" ADD'L
1643	TR	LS		60	9			3*6	13/4	S	36-00				0	48D	30-00	4,112	9 #4 @12" ADD'L
1644	TR	BF		60		240-04	1-00	3	13/4	H	S90	4-00						2,263	#4 @12" T
1645	TR	BF		60	10			3*2	13/4	S	9-03							371	10 #4 @12" ADD'L
1646	TR	BF		60	10			3*2	13/4	H	S90	5-06						247	10 #4 @12" ADD'L
1647	TR	BF		60	10			3*2*4	13/4	S	10-03							1,643	10 #4 @12" ADD'L
1648	TR	BF		60	10			3*2*4	13/4	S	10-00							1,603	10 #4 @12" ADD'L
1649	TR	BF		60	11			3*2	13/4	S	10-03							452	11 #4 @12" ADD'L
1650	TR	BF		60	11			3*2	13/4	H	S90	6-09						327	11 #4 @12" ADD'L
1651	TR	BF		60	10			3*2	13/4	S	10-00							401	10 #4 @12" ADD'L
1652	TR	BF		60	10			3*2	13/4	H	S90	4-03						197	10 #4 @12" ADD'L

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1653	MT	10TH FLOOR PT SLAB (8" THICK) (REF: S-206, S-102)																	
1654	TR	LS		E60	1			2	16/5	S	455-00				0	48D	30-00	1,033	1 #5 T&B CONT.
1655	TR	BF		E60	1			16*2	16/5	H	2-06	2-06						167	1 #5 T&B COR.
1656	TR	BF		60	1			15*2	16/5	S	5-00							156	1 #5 T&B ADD'L
1657	MT	OPING ADD'L																	
1658	TR	BF		60	1			36	16/5	S	2-06							94	1 #5 DIAG
1659	TR	BF		60	1			2*2	16/5	S	7-06							31	1 #5 T&B ES OPNG
1660	TR	BF		60	1			2*2	16/5	S	7-00							29	1 #5 T&B ES OPNG
1661	TR	BF		60	1			2*2*2	16/5	S	7-06							63	1 #5 T&B ES OPNG
1662	TR	BF		60	1			2*2*2	16/5	S	6-00							50	1 #5 T&B ES OPNG
1663	TR	BF		60	1			3*2*2	16/5	S	7-06							94	1 #5 T&B ES OPNG
1664	TR	BF		60	1			3*2*2	16/5	S	6-09							84	1 #5 T&B ES OPNG
1665	TR	BF		60	1			2*4	16/5	H	7-00	S90						65	1 #5 T&B ES OPNG
1666	TR	BF		60	1			2*4	16/5	H	7-06	S90						70	1 #5 T&B ES OPNG
1667	MT	SLAB ADDITIONAL REINFORCEMENT																	
1668	TR	LS		60	9			2	13/4	S	75-00				0	48D	30-00	950	9 #4 @12" ADD'L
1669	TR	LS		60	9			6	13/4	S	36-00				0	48D	30-00	1,371	9 #4 @12" ADD'L
1670	TR	BF		60		240-04	1-00		13/4	H	S90	4-00						754	#4 @12" T
1671	TR	BF		60	10			2	13/4	S	9-03							124	10 #4 @12" ADD'L
1672	TR	BF		60	10			2	13/4	H	S90	5-06						82	10 #4 @12" ADD'L
1673	TR	BF		60	10			2*4	13/4	S	10-03							548	10 #4 @12" ADD'L
1674	TR	BF		60	10			2*4	13/4	S	10-00							534	10 #4 @12" ADD'L
1675	TR	BF		60	11			2	13/4	S	10-03							151	11 #4 @12" ADD'L
1676	TR	BF		60	11			2	13/4	H	S90	6-09						109	11 #4 @12" ADD'L
1677	TR	BF		60	10			2	13/4	S	10-00							134	10 #4 @12" ADD'L
1678	TR	BF		60	10			2	13/4	H	S90	4-03						66	10 #4 @12" ADD'L
1679	MT	12" THICK POOL SLAB (REF: S-206, D/S-500)																	
1680	TR	RA		60		1-00	1-00	2	16/5	H	58-04	21-00	S90	S90	S90	48D	30-00	5,705	#5 @12" T&B EW
1681	TR	BF		60	75				13/4	H	1-06	0-062	1-06	0-062	1-06			280	#4 @48" STANDEES
1682	TI	Pcs			75				1 1/2"	IHC								0	
1683	MT	S-207 11TH FL FRAMING PLAN (8" THK)																	
1684	MT	SLAB ADDITIONAL																	
1685	TR	BF		60	5			2	13/4	H	6-02	S90						46	5 #4 @12" ADD'L
1686	TR	BF		60	5			2	13/4	S	7-08							51	5 #4 @12" ADD'L
1687	TR	BF		60	5			2	13/4	H	5-11	S90						44	5 #4 @12" ADD'L
1688	TR	BF		60	5			2	13/4	S	6-03							42	5 #4 @12" ADD'L
1689	TR	BF		60	5			2	13/4	H	5-11	S90						44	5 #4 @12" ADD'L
1690	TR	BF		60	5			2	13/4	S	6-09							45	5 #4 @12" ADD'L
1691	TR	BF		60	5			2	13/4	H	5-10	S90						43	5 #4 @12" ADD'L
1692	TR	BF		60	5			2	13/4	S	5-01							34	5 #4 @12" ADD'L
1693	TR	BF		60	5			2	13/4	H	6-03	S90						46	5 #4 @12" ADD'L
1694	TR	BF		60	5			2	13/4	S	6-00							40	5 #4 @12" ADD'L
1695	TR	BF		60	5			2	13/4	H	6-03	S90						46	5 #4 @12" ADD'L
1696	TR	BF		60	5			2	13/4	S	3-10							26	5 #4 @12" ADD'L
1697	TR	BF		60	5			2	13/4	H	5-10	S90						43	5 #4 @12" ADD'L
1698	TR	BF		60	5			2	13/4	S	3-10							26	5 #4 @12" ADD'L
1699	TR	BF		60	5			2	13/4	H	5-10	S90						43	5 #4 @12" ADD'L
1700	TR	BF		60	5			2	13/4	S	5-06							37	5 #4 @12" ADD'L
1701	TR	BF		60	5			2	13/4	S	6-03							42	5 #4 @12" ADD'L
1702	TR	BF		60	5			2	13/4	S	5-06							37	5 #4 @12" ADD'L
1703	TR	BF		60	5			2	13/4	S	5-06							37	5 #4 @12" ADD'L
1704	TR	BF		60	5			2	13/4	S	6-02							41	5 #4 @12" ADD'L
1705	TR	BF		60	5			2	13/4	S	5-06							37	5 #4 @12" ADD'L
1706	TR	BF		60	5			2	13/4	S	6-03							42	5 #4 @12" ADD'L
1707	TR	BF		60	5			2	13/4	S	5-06							37	5 #4 @12" ADD'L
1708	TR	LS		60	9			2	13/4	S	73-07				0	2-07	30-00	947	9 #4 @12" ADD'L
1709	TR	LS		60	9			2	13/4	S	74-02				0	2-07	30-00	954	9 #4 @12" ADD'L
1710	TR	LS		60	9			5	13/4	S	35-09				0	2-07	30-00	1,152	9 #4 @12" ADD'L
1711	TR	BF		60	9			2	13/4	H	26-00	S90						321	9 #4 @12" ADD'L

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1712	TR	BF		60		80-08	1-00	3	13/4	H	4-00	S90						767	#4 @12" X4'-0" T	
1713	TR	LS		E60	1			2	13/4	S	398-00				0	2-07	30-00	580	1 #4 T & B CONT	
1714	TR	BF		E60	1			4*2	13/4	H	2-07	2-07						28	1 #4 T&B COR	
1715	TR	BF		60	1			2*2	16/5	S	9-04							39	1 #5 T&B ES OPNG	
1716	TR	BF		60	1			2*2	16/5	H	9-07	S90						43	1 #5 T&B ES OPNG	
1717	TR	BF		60	1			4	16/5	S	2-06							10	1 #5 DIAG	
1718	TR	BF		60	1			2*2	16/5	S	9-04							39	1 #5 T&B ES OPNG	
1719	TR	BF		60	1			2*2	16/5	H	4-01	S90						21	1 #5 T&B ES OPNG	
1720	TR	BF		60	1			2	16/5	S	2-06							5	1 #5 DIAG	
1721	MT	S-208 ROOF FRAMING PLAN (8" THK)																		
1722	MT	SLAB ADDITIONAL																		
1723	TR	BF		60	5			2	13/4	H	5-11	S90						44	5 #4 @12" ADD'L	
1724	TR	BF		60	5			2	13/4	S	6-09							45	5 #4 @12" ADD'L	
1725	TR	BF		60	5			2	13/4	H	5-11	S90						44	5 #4 @12" ADD'L	
1726	TR	BF		60	5			2	13/4	S	6-09							45	5 #4 @12" ADD'L	
1727	TR	BF		60	5			2	13/4	H	5-09	S90						43	5 #4 @12" ADD'L	
1728	TR	BF		60	5			2	13/4	S	3-09							25	5 #4 @12" ADD'L	
1729	TR	BF		60	5			2	13/4	H	5-10	S90						43	5 #4 @12" ADD'L	
1730	TR	BF		60	5			2	13/4	S	3-09							25	5 #4 @12" ADD'L	
1731	TR	BF		60	5			2	13/4	H	5-10	S90						43	5 #4 @12" ADD'L	
1732	TR	BF		60	5			2	13/4	S	5-06							37	5 #4 @12" ADD'L	
1733	TR	BF		60	5			2	13/4	H	5-06							37	5 #4 @12" ADD'L	
1734	TR	BF		60	5			2	13/4	S	6-02							41	5 #4 @12" ADD'L	
1735	TR	BF		60	5			2	13/4	H	5-06							37	5 #4 @12" ADD'L	
1736	TR	BF		60	5			2	13/4	S	6-02							41	5 #4 @12" ADD'L	
1737	TR	BF		60	5			2	13/4	H	5-06							37	5 #4 @12" ADD'L	
1738	TR	BF		60	5			2	13/4	S	5-06							37	5 #4 @12" ADD'L	
1739	TR	LS		60	9			2	13/4	S	73-07			0	2-07	30-00		947	9 #4 @12" ADD'L	
1740	TR	LS		60	9				13/4	S	74-02			0	2-07	30-00		477	9 #4 @12" ADD'L	
1741	TR	LS		60	9			5	13/4	S	35-09			0	2-07	30-00		1,152	9 #4 @12" ADD'L	
1742	TR	BF		60	9				13/4	H	26-00	S90						160	9 #4 @12" ADD'L	
1743	TR	BF		60		80-08	1-00	3	13/4	H	4-00	S90						767	#4 @12" X4'-0" T	
1744	TR	LS		E60	1			2	13/4	S	398-00			0	2-07	30-00		580	1 #4 T & B CONT	
1745	TR	BF		E60	1			2	13/4	H	2-07	2-07						7	1 #4 T&B COR	
1746	TR	BF		60	1			10*2	16/5	S	5-00							104	1 #5 T&B	
1747	TR	BF		60	1			2*2	16/5	S	13-00							54	1 #5 T&B ES OPNG	
1748	TR	BF		60	1			2*2	16/5	S	8-00							33	1 #5 T&B ES OPNG	
1749	TR	BF		60	1			4	16/5	S	2-06							10	1 #5 DIAG	
1750	TR	BF		60	1			2*2	16/5	H	4-06	S90						22	1 #5 T&B ES OPNG	
1751	TR	BF		60	1			2*2	16/5	H	4-06	S90						22	1 #5 T&B ES OPNG	
1752	TR	BF		60	1			4	16/5	S	2-06							10	1 #5 DIAG	
1753	MT	S-208 HIGH ROOF FRAMING PLAN (8" THK)																		
1754	MT	SLAB ADDITIONAL																		
1755	TR	BF		60		27-07	1-00		16/5	S	34-07	2-07						1,124	#5 @12" B LW	
1756	TR	BF		60		27-07	1-00		16/5	H	34-07	2S90	2-07					1,175	#5 @12" T LW	
1757	TR	BF		60		34-10	1-00		16/5	S	27-04							1,026	#5 @12" B SW	
1758	TR	BF		60		34-10	1-00		16/5	H	27-04	2S90						1,089	#5 @12" T SW	
1759	TR	BF		60	63				13/4	H	1-06	0-05	1-06	0-05	1-06			224	#4 @48" STANDEES	
1760	GI	Segment: MAIN BUILDING Sub-Segment: CIP BEAMS User Dfnd: CAST IN PLACE																		
1761	MT	CIP CONCRETE BEAMS																		
1762	MT	S-202 2nd FLOOR FRAMING PLAN																		
1763	MT	2B-1 (12X36)																		
1764	TR	BF		60	3			2	19/6	H	12-06	2S90						131	3 #6 T&B CONT	
1765	TR	TA		60		12-06	1-00		10/3	L	1-00	3-00		0-012	0			40	#3 @12" STRIPS	
1766	TR	BF		60	2			2	13/4	S	12-06							33	2 #4 EF FACE BAR	
1767	MT	2B-02 (8X36)																		
1768	TR	BF		60	2			2	22/7	H	27-04	2S90						243	2 #7 T&B CONT	
1769	TR	TA		60		27-04	1-00		10/3	L	0-08	3-00		0-012	0			76	#3 @12" STRIPS	
1770	TR	BF		60	2			2	13/4	S	27-04							73	2 #4 EF FACE BAR	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spchg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1771	MT	2B-3 (8X36)																	
1772	TR	BF		60	2			2	19/6	H	18-09	2S90						125	2 #6 T&B CONT.
1773	TR	TA		60		18-09	1-00		10/3	L	0-08	3-00		0-012	0			53	#3 @12" STRIPS
1774	TR	BF		60	2			2	13/4	S	18-09							50	2 #4 EF FACE BAR
1775	MT	2B-4 & 5 (8X36)																	
1776	TR	BF		60	2			2	19/6	H	27-04	2S90						176	2 #6 T&B CONT.
1777	TR	TA		60		27-04	1-00		10/3	L	0-08	3-00		0-012	0			76	#3 @12" STRIPS
1778	TR	BF		60	2			2	13/4	S	27-04							73	2 #4 EF FACE BAR
1779	MT	2B-6 (12X36)																	
1780	TR	BF		60	3			2	19/6	H	12-06	2S90						131	3 #6 T&B CONT
1781	TR	TA		60		12-06	1-00		10/3	L	1-00	3-00		0-012	0			40	#3 @12" STRIPS
1782	TR	BF		60	2			2	13/4	S	12-06							33	2 #4 EF FACE BAR
1783	MT	2B-7 (12X18)																	
1784	TR	BF		60	2			2	16/5	H	9-07	2S90						47	2 #5 T&B CONT
1785	TR	TA		60		9-07	1-00		10/3	L	1-00	1-06		0-012	0			19	#3 @12" STRIPS
1786	MT	2B-8 (12X18)																	
1787	TR	BF		60	2			2	16/5	H	11-10	2S90						56	2 #5 T&B CONT
1788	TR	TA		60		11-10	1-00		10/3	L	1-00	1-06		0-012	0			23	#3 @12" STRIPS
1789	MT	2B-9 (12X18)																	
1790	TR	BF		60	2			2	16/5	H	9-07	2S90						47	2 #5 T&B CONT
1791	TR	TA		60		9-07	1-00		10/3	L	1-00	1-06		0-012	0			19	#3 @12" STRIPS
1792	MT	2B-10 & 11 (8X24)																	
1793	TR	BF		60	2				25/8	S	30-09	5-02	5-02					219	2 #8 B CONT
1794	TR	BF		60	2				25/8	S	30-09	6-08	6-08					235	2 #8 T CONT
1795	TR	TA		60		30-09	0-10		10/3	L	0-08	2-00		0-012	0			72	#3 @10" STRIPS
1796	MT	2B-12 (8X16)																	
1797	TR	BF		60	2			2	19/6	H	10-08	2S90						76	2 #6 T&B CONT.
1798	TR	TA		60		10-08	1-00		10/3	L	0-08	1-04		0-012	0			17	#3 @12" STRIPS
1799	MT	2B-13 (8X24)																	
1800	TR	BF		60	2				22/7	H	20-04	2S90						93	2 #7 B CONT
1801	TR	BF		60	2				22/7	H	20-04	2S90						93	2 #7 T CONT
1802	TR	TA		60		20-04	0-10		10/3	L	0-08	2-00		0-012	0			49	#3 @10" STRIPS
1803	MT	2B-14 (8X16)																	
1804	TR	BF		60	2			2	19/6	H	10-08	2S90						76	2 #6 T&B CONT.
1805	TR	TA		60		10-08	1-00		10/3	L	0-08	1-04		0-012	0			17	#3 @12" STRIPS
1806	MT	2B-15 (8X24)																	
1807	TR	BF		60	2				22/7	H	20-04	2S90						93	2 #7 B CONT
1808	TR	BF		60	2				22/7	H	20-04	2S90						93	2 #7 T CONT
1809	TR	TA		60		20-04	0-10		10/3	L	0-08	2-00		0-012	0			49	#3 @10" STRIPS
1810	MT	S-203 3rd FLOOR FRAMING PLAN																	
1811	MT	3B-1 (12X36)																	
1812	TR	BF		60	3			2	19/6	H	12-06	2S90						131	3 #6 T&B CONT
1813	TR	TA		60		12-06	1-00		10/3	L	1-00	3-00		0-012	0			40	#3 @12" STRIPS
1814	TR	BF		60	2			2	13/4	S	12-06							33	2 #4 EF FACE BAR
1815	MT	3B-2 (8X36)																	
1816	TR	BF		60	2			2	22/7	H	27-04	2S90						243	2 #7 T&B CONT
1817	TR	TA		60		27-04	1-00		10/3	L	0-08	3-00		0-012	0			76	#3 @12" STRIPS
1818	TR	BF		60	2			2	13/4	S	27-04							73	2 #4 EF FACE BAR
1819	MT	3B-3 (8X36)																	
1820	TR	BF		60	2			2	19/6	H	18-09	2S90						125	2 #6 T&B CONT.
1821	TR	TA		60		18-09	1-00		10/3	L	0-08	3-00		0-012	0			53	#3 @12" STRIPS
1822	TR	BF		60	2			2	13/4	S	18-09							50	2 #4 EF FACE BAR
1823	MT	3B-4 & 5 (8X36)																	
1824	TR	BF		60	2			2	19/6	H	27-04	2S90						176	2 #6 T&B CONT.
1825	TR	TA		60		27-04	1-00		10/3	L	0-08	3-00		0-012	0			76	#3 @12" STRIPS
1826	TR	BF		60	2			2	13/4	S	27-04							73	2 #4 EF FACE BAR
1827	MT	3B-6 (12X36)																	
1828	TR	BF		60	3			2	19/6	H	12-06	2S90						131	3 #6 T&B CONT
1829	TR	TA		60		12-06	1-00		10/3	L	1-00	3-00		0-012	0			40	#3 @12" STRIPS

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spocg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1830	TR	BF		60	2			2	13/4	S	12-06							33	2 #4 EF FACE BAR	
1831	MT	3B-7 & 8 (8X24)																		
1832	TR	BF		60	2				25/8	S	30-09	5-02	5-02					219	2 #8 B CONT	
1833	TR	BF		60	2				25/8	S	30-09	6-08	6-08					235	2 #8 T CONT	
1834	TR	TA		60		30-09	0-10		10/3	L	0-08	2-00		0-012	0			72	#3 @10" STRIPS	
1835	MT	3B-9 & 10 (8X24)																		
1836	TR	BF		60	2				25/8	S	30-09	5-02	5-02					219	2 #8 B CONT	
1837	TR	BF		60	2				25/8	S	30-09	6-08	6-08					235	2 #8 T CONT	
1838	TR	TA		60		30-09	0-10		10/3	L	0-08	2-00		0-012	0			72	#3 @10" STRIPS	
1839	MT	3B-11 & 11A (8X24)																		
1840	TR	BF		60	2				22/7	H	21-04	2S90						97	2 #7 B CONT	
1841	TR	BF		60	2				22/7	H	21-04	2S90						97	2 #7 T CONT	
1842	TR	TA		60		21-04	0-10		10/3	L	0-08	2-00		0-012	0			51	#3 @10" STRIPS	
1843	MT	3B-12 (8X24)																		
1844	TR	BF		60	2				25/8	H	25-04	2S90						150	2 #8 B CONT	
1845	TR	BF		60	2				25/8	H	25-04	2S90						150	2 #8 T CONT	
1846	TR	TA		60		25-04	0-10		10/3	L	0-08	2-00		0-012	0			60	#3 @10" STRIPS	
1847	MT	S-204 4th-6th FLOOR FRAMING PLAN (3LVLS)																		
1848	MT	4B-1 (12X36)																		
1849	TR	BF		60	3			3*2	22/7	H	12-06	2S90						546	3 #7 T&B CONT	
1850	TR	TA		60		12-06	0-08	3	10/3	L	1-00	3-00		0-012	0			173	#3 @8" STRIPS	
1851	TR	BF		60	2			3*2	13/4	S	12-06							100	2 #4 EF FACE BAR	
1852	MT	4B-02 (8X36)																		
1853	TR	BF		60	2			3*2	22/7	H	27-04	2S90						728	2 #7 T&B CONT	
1854	TR	TA		60		27-04	0-10	3	10/3	L	0-08	3-00		0-012	0			269	#3 @10" STRIPS	
1855	TR	BF		60	2			3*2	13/4	S	27-04							219	2 #4 EF FACE BAR	
1856	MT	4B-3 (8X36)																		
1857	TR	BF		60	2			3*2	22/7	H	18-09	2S90						517	2 #7 T&B CONT.	
1858	TR	TA		60		18-09	1-00	3	10/3	L	0-08	3-00		0-012	0			158	#3 @12" STRIPS	
1859	TR	BF		60	2			3*2	13/4	S	18-09							150	2 #4 EF FACE BAR	
1860	MT	4B-4 & 5 (8X36)																		
1861	TR	BF		60	2			3*2	19/6	H	27-04	2S90						529	2 #6 T&B CONT.	
1862	TR	TA		60		27-04	1-00	3	10/3	L	0-08	3-00		0-012	0			229	#3 @12" STRIPS	
1863	TR	BF		60	2			3*2	13/4	S	27-04							219	2 #4 EF FACE BAR	
1864	MT	4B-6 (12X36)																		
1865	TR	BF		60	3			3*2	22/7	H	12-06	2S90						546	3 #7 T&B CONT	
1866	TR	TA		60		12-06	0-10	3	10/3	L	1-00	3-00		0-012	0			138	#3 @10" STRIPS	
1867	TR	BF		60	2			3*2	13/4	S	12-06							100	2 #4 EF FACE BAR	
1868	MT	S-205 7th-9th FLOOR FRAMING PLAN (3LVLS)																		
1869	MT	7B-1 (12X36)																		
1870	TR	BF		60	3			3*2	22/7	H	12-06	2S90						546	3 #7 T&B CONT	
1871	TR	TA		60		12-06	0-08	3	10/3	L	1-00	3-00		0-012	0			173	#3 @8" STRIPS	
1872	TR	BF		60	2			3*2	13/4	S	12-06							100	2 #4 EF FACE BAR	
1873	MT	7B-02 (8X36)																		
1874	TR	BF		60	2			3*2	22/7	H	27-04	2S90						728	2 #7 T&B CONT	
1875	TR	TA		60		27-04	0-10	3	10/3	L	0-08	3-00		0-012	0			269	#3 @10" STRIPS	
1876	TR	BF		60	2			3*2	13/4	S	27-04							219	2 #4 EF FACE BAR	
1877	MT	7B-3 (8X36)																		
1878	TR	BF		60	2			3*2	22/7	H	18-09	2S90						517	2 #7 T&B CONT.	
1879	TR	TA		60		18-09	1-00	3	10/3	L	0-08	3-00		0-012	0			158	#3 @12" STRIPS	
1880	TR	BF		60	2			3*2	13/4	S	18-09							150	2 #4 EF FACE BAR	
1881	MT	7B-4 & 5 (8X36)																		
1882	TR	BF		60	2			3*2	19/6	H	27-04	2S90						529	2 #6 T&B CONT.	
1883	TR	TA		60		27-04	1-00	3	10/3	L	0-08	3-00		0-012	0			229	#3 @12" STRIPS	
1884	TR	BF		60	2			3*2	13/4	S	27-04							219	2 #4 EF FACE BAR	
1885	MT	7B-6 (12X36)																		
1886	TR	BF		60	3			3*2	22/7	H	12-06	2S90						546	3 #7 T&B CONT	
1887	TR	TA		60		12-06	0-10	3	10/3	L	1-00	3-00		0-012	0			138	#3 @10" STRIPS	
1888	TR	BF		60	2			3*2	13/4	S	12-06							100	2 #4 EF FACE BAR	

SAMPLE-1 -

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1889	MT	S-206 10th FLOOR FRAMING PLAN																		
1890	MT	10B-1 (12X36)																		
1891	TR	BF		60	3			2	22/7	H	12-06	2S90							182	3 #7 T&B CONT
1892	TR	TA		60		12-06	0-08		10/3	L	1-00	3-00		0-012	0				58	#3 @8" STRIPS
1893	TR	BF		60	2			2	13/4	S	12-06								33	2 #4 EF FACE BAR
1894	MT	10B-02 (8X36)																		
1895	TR	BF		60	2			2	22/7	H	27-04	2S90							243	2 #7 T&B CONT
1896	TR	TA		60		27-04	0-10		10/3	L	0-08	3-00		0-012	0				90	#3 @10" STRIPS
1897	TR	BF		60	2			2	13/4	S	27-04								73	2 #4 EF FACE BAR
1898	MT	10B-3 (8X36)																		
1899	TR	BF		60	2			2	22/7	H	18-09	2S90							172	2 #7 T&B CONT.
1900	TR	TA		60		18-09	1-00		10/3	L	0-08	3-00		0-012	0				53	#3 @12" STRIPS
1901	TR	BF		60	2			2	13/4	S	18-09								50	2 #4 EF FACE BAR
1902	MT	10B-4 & 5 (8X36)																		
1903	TR	BF		60	2			2	19/6	H	27-04	2S90							176	2 #6 T&B CONT.
1904	TR	TA		60		27-04	1-00		10/3	L	0-08	3-00		0-012	0				76	#3 @12" STRIPS
1905	TR	BF		60	2			2	13/4	S	27-04								73	2 #4 EF FACE BAR
1906	MT	10B-6 (12X36)																		
1907	TR	BF		60	3			2	22/7	H	12-06	2S90							182	3 #7 T&B CONT
1908	TR	TA		60		12-06	0-10		10/3	L	1-00	3-00		0-012	0				46	#3 @10" STRIPS
1909	TR	BF		60	2			2	13/4	S	12-06								33	2 #4 EF FACE BAR
1910	MT	S-207 11th FLOOR FRAMING PLAN																		
1911	MT	11B-1 (12X36)																		
1912	TR	BF		60	3			2	22/7	H	12-06	2S90							182	3 #7 T&B CONT
1913	TR	TA		60		12-06	0-08		10/3	L	1-00	3-00		0-012	0				58	#3 @8" STRIPS
1914	TR	BF		60	2			2	13/4	S	12-06								33	2 #4 EF FACE BAR
1915	MT	11B-02 (8X36)																		
1916	TR	BF		60	2			2	22/7	H	27-04	2S90							243	2 #7 T&B CONT
1917	TR	TA		60		27-04	0-10		10/3	L	0-08	3-00		0-012	0				90	#3 @10" STRIPS
1918	TR	BF		60	2			2	13/4	S	27-04								73	2 #4 EF FACE BAR
1919	MT	11B-3 (8X36)																		
1920	TR	BF		60	2			2	22/7	H	18-09	2S90							172	2 #7 T&B CONT.
1921	TR	TA		60		18-09	1-00		10/3	L	0-08	3-00		0-012	0				53	#3 @12" STRIPS
1922	TR	BF		60	2			2	13/4	S	18-09								50	2 #4 EF FACE BAR
1923	MT	11B-4 & 5 (8X36)																		
1924	TR	BF		60	2			2	19/6	H	27-04	2S90							176	2 #6 T&B CONT.
1925	TR	TA		60		27-04	1-00		10/3	L	0-08	3-00		0-012	0				76	#3 @12" STRIPS
1926	TR	BF		60	2			2	13/4	S	27-04								73	2 #4 EF FACE BAR
1927	MT	11B-6 (12X36)																		
1928	TR	BF		60	3			2	22/7	H	12-06	2S90							182	3 #7 T&B CONT
1929	TR	TA		60		12-06	0-10		10/3	L	1-00	3-00		0-012	0				46	#3 @10" STRIPS
1930	TR	BF		60	2			2	13/4	S	12-06								33	2 #4 EF FACE BAR
1931	GI	Segment: SITE WORKS Sub-Segment: CONCRETE PAVEMENT User Dfnd: CAST IN P...																		
1932	MT	6" THICK CONCRETE PAVEMENT (REF: C3 ,C5)																		
1933	TI	SqFt			1150				6x6-W1.4xW1.4 WWR										0	
1934	TI	Pcs			70				3" DOBBIES										0	

SAMPLE-1 -

Total for Segment: MAIN BUILDING

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	16,495	0	0	16,495	0
13/4	67,796	50,277	17,112	407	23,617
16/5	250,191	171,118	78,224	849	51,363
19/6	33,466	19,824	13,642	0	19,126
22/7	53,199	41,976	11,223	0	0
25/8	60,484	12,770	47,714	0	8,330
29/9	26,845	0	26,845	0	2,634
32/10	64,107	4,082	60,025	0	16,522
36/11	18,859	0	18,859	0	7,651
	<u>591,442</u>	<u>300,047</u>	<u>273,644</u>	<u>17,751</u>	<u>129,243</u>

**** Grade 60, Epoxy ****

13/4	1,195	1,160	35	0	1,122
16/5	10,897	9,686	1,211	0	9,387
	<u>12,092</u>	<u>10,846</u>	<u>1,246</u>	<u>0</u>	<u>10,509</u>

**** Grand Totals ****

10/3	16,495	0	0	16,495	0
13/4	68,991	51,437	17,147	407	24,739
16/5	261,088	180,804	79,435	849	60,750
19/6	33,466	19,824	13,642	0	19,126
22/7	53,199	41,976	11,223	0	0
25/8	60,484	12,770	47,714	0	8,330
29/9	26,845	0	26,845	0	2,634
32/10	64,107	4,082	60,025	0	16,522
36/11	18,859	0	18,859	0	7,651
	<u>603,534</u>	<u>310,893</u>	<u>274,890</u>	<u>17,751</u>	<u>139,752</u>

****** Miscellaneous Item Summary ******

**** Undefined Item Class - 'DOBBIES' ****

2 1/2" DOBBIES	2 1/2" DOBBIES	81.000 Pcs	=	81.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
2" DOBBIES	2" DOBBIES	940.000 Pcs	=	940.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs

Subtotal = \$ 0.00 0 Lbs

**** Undefined Item Class - 'FORM SAVER' ****

#5 FORM SAVER	#5 FORM SAVER	1,536.000 Pcs	=	1,536.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
---------------	---------------	---------------	---	---------------	---	-------------	------	------	-------

Subtotal = \$ 0.00 0 Lbs

**** Undefined Item Class - 'IHC' ****

1 1/2" IHC	1 1/2" IHC	75.000 Pcs	=	75.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
------------	------------	------------	---	------------	---	-------------	------	------	-------

Subtotal = \$ 0.00 0 Lbs

**** Undefined Item Class - 'MESH' ****

6x6-W2.9xW2.9 WWF	6x6-W2.9xW2.9 WWF	16,300.000 SqFt	=	16,300.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs
-------------------	-------------------	-----------------	---	-----------------	---	--------------	------	------	-------

Subtotal = \$ 0.00 0 Lbs

Grand Total = \$ 0.00 0 Lbs

SAMPLE-1 -**Total for Segment: SITE WORKS******** Miscellaneous Item Summary ********** Undefined Item Class - 'DOBBIES' ****

3" DOBBIES	3" DOBBIES	70.000 Pcs	=	70.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
------------	------------	------------	---	------------	---	-------------	------	------	-------

Subtotal							= \$	0.00	0 Lbs
-----------------	--	--	--	--	--	--	------	------	-------

**** Undefined Item Class - 'MESH' ****

6x6-W1.4xW1.4 WWR	6x6-W1.4xW1.4 WWR	1,150.000 SqFt	=	1,150.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs
----------------------	-------------------	----------------	---	----------------	---	--------------	------	------	-------

Subtotal							= \$	0.00	0 Lbs
-----------------	--	--	--	--	--	--	------	------	-------

Grand Total							= \$	0.00	0 Lbs
--------------------	--	--	--	--	--	--	------	------	-------

SAMPLE-1 -**Total for User Defined Code: CAST IN PLACE******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	16,495	0	0	16,495	0
13/4	66,377	49,575	16,395	407	22,198
16/5	215,803	144,854	70,100	849	29,974
19/6	18,072	7,791	10,281	0	7,715
22/7	53,199	41,976	11,223	0	0
25/8	60,484	12,770	47,714	0	8,330
29/9	26,845	0	26,845	0	2,634
32/10	64,107	4,082	60,025	0	16,522
36/11	18,859	0	18,859	0	7,651
	<u>540,241</u>	<u>261,048</u>	<u>261,442</u>	<u>17,751</u>	<u>95,024</u>

**** Grade 60, Epoxy ****

13/4	1,195	1,160	35	0	1,122
16/5	10,897	9,686	1,211	0	9,387
	<u>12,092</u>	<u>10,846</u>	<u>1,246</u>	<u>0</u>	<u>10,509</u>

**** Grand Totals ****

10/3	16,495	0	0	16,495	0
13/4	67,572	50,735	16,430	407	23,320
16/5	226,700	154,540	71,311	849	39,361
19/6	18,072	7,791	10,281	0	7,715
22/7	53,199	41,976	11,223	0	0
25/8	60,484	12,770	47,714	0	8,330
29/9	26,845	0	26,845	0	2,634
32/10	64,107	4,082	60,025	0	16,522
36/11	18,859	0	18,859	0	7,651
	<u>552,333</u>	<u>271,894</u>	<u>262,688</u>	<u>17,751</u>	<u>105,533</u>

****** Miscellaneous Item Summary ********** Undefined Item Class - 'DOBBIES' ****

3" DOBBIES	3" DOBBIES	70.000 Pcs	=	70.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
------------	------------	------------	---	------------	---	-------------	------	------	-------

Subtotal							= \$	0.00	0 Lbs
----------	--	--	--	--	--	--	------	------	-------

**** Undefined Item Class - 'FORM SAVER'**

#5 FORM SAVER	#5 FORM SAVER	1,536.000 Pcs	=	1,536.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
---------------	---------------	---------------	---	---------------	---	-------------	------	------	-------

Subtotal							= \$	0.00	0 Lbs
----------	--	--	--	--	--	--	------	------	-------

**** Undefined Item Class - 'IHC' ****

1 1/2" IHC	1 1/2" IHC	75.000 Pcs	=	75.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
------------	------------	------------	---	------------	---	-------------	------	------	-------

Subtotal							= \$	0.00	0 Lbs
----------	--	--	--	--	--	--	------	------	-------

**** Undefined Item Class - 'MESH' ****

6x6-W1.4xW1.4 WWR	6x6-W1.4xW1.4 WWR	1,150.000 SqFt	=	1,150.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs
-------------------	-------------------	----------------	---	----------------	---	--------------	------	------	-------

Subtotal							= \$	0.00	0 Lbs
----------	--	--	--	--	--	--	------	------	-------

Grand Total							= \$	0.00	0 Lbs
--------------------	--	--	--	--	--	--	-------------	-------------	--------------

SAMPLE-1 -**Total for User Defined Code: MASONRY******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
16/5	30,103	23,806	6,297	0	21,076
19/6	14,767	12,033	2,734	0	11,411
	<u>44,870</u>	<u>35,839</u>	<u>9,031</u>	<u>0</u>	<u>32,487</u>

SAMPLE-1 -**Total for User Defined Code: SLAB******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

13/4	1,419	702	717	0	1,419
16/5	4,285	2,458	1,827	0	313
19/6	627	0	627	0	0
	<u>6,331</u>	<u>3,160</u>	<u>3,171</u>	<u>0</u>	<u>1,732</u>

****** Miscellaneous Item Summary ********** Undefined Item Class - 'DOBBIES' ****

2 1/2" DOBBIES	2 1/2" DOBBIES	81.000 Pcs	=	81.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
2" DOBBIES	2" DOBBIES	940.000 Pcs	=	940.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
Subtotal								= \$	0.00	0 Lbs

**** Undefined Item Class - 'MESH' ****

6x6-W2.9xW2.9 WWF	6x6-W2.9xW2.9 WWF	16,300.000 SqFt	=	16,300.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs	
Subtotal								= \$	0.00	0 Lbs

Grand Total								= \$	0.00	0 Lbs
--------------------	--	--	--	--	--	--	--	------	------	-------

SAMPLE-1 -**Rebar Segment Summary****Segment: MAIN BUILDING******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	16,495	0	0	16,495	0
13/4	67,796	50,277	17,112	407	23,617
16/5	250,191	171,118	78,224	849	51,363
19/6	33,466	19,824	13,642	0	19,126
22/7	53,199	41,976	11,223	0	0
25/8	60,484	12,770	47,714	0	8,330
29/9	26,845	0	26,845	0	2,634
32/10	64,107	4,082	60,025	0	16,522
36/11	18,859	0	18,859	0	7,651
	<u>591,442</u>	<u>300,047</u>	<u>273,644</u>	<u>17,751</u>	<u>129,243</u>

**** Grade 60, Epoxy ****

13/4	1,195	1,160	35	0	1,122
16/5	10,897	9,686	1,211	0	9,387
	<u>12,092</u>	<u>10,846</u>	<u>1,246</u>	<u>0</u>	<u>10,509</u>

**** Grand Totals ****

10/3	16,495	0	0	16,495	0
13/4	68,991	51,437	17,147	407	24,739
16/5	261,088	180,804	79,435	849	60,750
19/6	33,466	19,824	13,642	0	19,126
22/7	53,199	41,976	11,223	0	0
25/8	60,484	12,770	47,714	0	8,330
29/9	26,845	0	26,845	0	2,634
32/10	64,107	4,082	60,025	0	16,522
36/11	18,859	0	18,859	0	7,651
	<u>603,534</u>	<u>310,893</u>	<u>274,890</u>	<u>17,751</u>	<u>139,752</u>

SAMPLE-1 -

Rebar User Defined Code Summary

User Defined Code: CAST IN PLACE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

10/3	16,495	0	0	16,495	0
13/4	66,377	49,575	16,395	407	22,198
16/5	215,803	144,854	70,100	849	29,974
19/6	18,072	7,791	10,281	0	7,715
22/7	53,199	41,976	11,223	0	0
25/8	60,484	12,770	47,714	0	8,330
29/9	26,845	0	26,845	0	2,634
32/10	64,107	4,082	60,025	0	16,522
36/11	18,859	0	18,859	0	7,651
	540,241	261,048	261,442	17,751	95,024

** Grade 60, Epoxy **

13/4	1,195	1,160	35	0	1,122
16/5	10,897	9,686	1,211	0	9,387
	12,092	10,846	1,246	0	10,509

** Grand Totals **

10/3	16,495	0	0	16,495	0
13/4	67,572	50,735	16,430	407	23,320
16/5	226,700	154,540	71,311	849	39,361
19/6	18,072	7,791	10,281	0	7,715
22/7	53,199	41,976	11,223	0	0
25/8	60,484	12,770	47,714	0	8,330
29/9	26,845	0	26,845	0	2,634
32/10	64,107	4,082	60,025	0	16,522
36/11	18,859	0	18,859	0	7,651
	552,333	271,894	262,688	17,751	105,533

User Defined Code: MASONRY

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

16/5	30,103	23,806	6,297	0	21,076
19/6	14,767	12,033	2,734	0	11,411
	44,870	35,839	9,031	0	32,487

User Defined Code: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	1,419	702	717	0	1,419
16/5	4,285	2,458	1,827	0	313
19/6	627	0	627	0	0
	6,331	3,160	3,171	0	1,732

SAMPLE-1 -**Estimate Totals******** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**** Grade 60, Black ****

10/3	16,495	0	0	16,495	0
13/4	67,796	50,277	17,112	407	23,617
16/5	250,191	171,118	78,224	849	51,363
19/6	33,466	19,824	13,642	0	19,126
22/7	53,199	41,976	11,223	0	0
25/8	60,484	12,770	47,714	0	8,330
29/9	26,845	0	26,845	0	2,634
32/10	64,107	4,082	60,025	0	16,522
36/11	18,859	0	18,859	0	7,651
	<u>591,442</u>	<u>300,047</u>	<u>273,644</u>	<u>17,751</u>	<u>129,243</u>

**** Grade 60, Epoxy ****

13/4	1,195	1,160	35	0	1,122
16/5	10,897	9,686	1,211	0	9,387
	<u>12,092</u>	<u>10,846</u>	<u>1,246</u>	<u>0</u>	<u>10,509</u>

**** Grand Totals ****

10/3	16,495	0	0	16,495	0
13/4	68,991	51,437	17,147	407	24,739
16/5	261,088	180,804	79,435	849	60,750
19/6	33,466	19,824	13,642	0	19,126
22/7	53,199	41,976	11,223	0	0
25/8	60,484	12,770	47,714	0	8,330
29/9	26,845	0	26,845	0	2,634
32/10	64,107	4,082	60,025	0	16,522
36/11	18,859	0	18,859	0	7,651
	<u>603,534</u>	<u>310,893</u>	<u>274,890</u>	<u>17,751</u>	<u>139,752</u>

SAMPLE-1 -**Estimate Totals******** Miscellaneous Item Summary ********** Undefined Item Class - 'DOBBIES' ****

2 1/2" DOBBIES	2 1/2" DOBBIES	81.000 Pcs	=	81.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
2" DOBBIES	2" DOBBIES	940.000 Pcs	=	940.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
3" DOBBIES	3" DOBBIES	70.000 Pcs	=	70.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs

Subtotal							= \$	0.00	0 Lbs
-----------------	--	--	--	--	--	--	------	------	-------

**** Undefined Item Class - 'FORM SAVER' ****

#5 FORM SAVER	#5 FORM SAVER	1,536.000 Pcs	=	1,536.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
---------------	---------------	---------------	---	---------------	---	-------------	------	------	-------

Subtotal							= \$	0.00	0 Lbs
-----------------	--	--	--	--	--	--	------	------	-------

**** Undefined Item Class - 'IHC' ****

1 1/2" IHC	1 1/2" IHC	75.000 Pcs	=	75.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
------------	------------	------------	---	------------	---	-------------	------	------	-------

Subtotal							= \$	0.00	0 Lbs
-----------------	--	--	--	--	--	--	------	------	-------

**** Undefined Item Class - 'MESH' ****

6x6-W1.4xW1.4 WWR	6x6-W1.4xW1.4 WWR	1,150.000 SqFt	=	1,150.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs
6x6-W2.9xW2.9 WWF	6x6-W2.9xW2.9 WWF	16,300.000 SqFt	=	16,300.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs

Subtotal							= \$	0.00	0 Lbs
-----------------	--	--	--	--	--	--	------	------	-------

Grand Total							= \$	0.00	0 Lbs
--------------------	--	--	--	--	--	--	------	------	-------